



S-Drive

User Guide

v1.27

Important Note

This user guide contains detailed information about S-Drive usage. Refer to the *S-Drive Installation Guide* and *S-Drive Advanced Configuration Guide* for more information about installation/configuration of S-Drive product and *S-Drive Quick Reference Guide* for quick reference.



www.cyangate.com

Contents

A. S-Drive Folders Screen	3
B. Creating Folders	7
C. Uploading Files.....	9
D. Deleting Files.....	15
1. Single File Deletion.....	15
2. Multiple File Deletion.....	15
E. Deleting Folders	17
F. Emailing Files.....	19
G. Downloading Files.....	25
1. Browser Controlled One Click Download.....	25
2. Download Manager Download	25
H. Opening Files.....	28
I. Moving Files	29
J. Copying Files	31
K. Renaming Files & Folders.....	33
L. Editing File/Folder Description	34
M. Copying URL to Clipboard	35
N. Sharing Files & Folders.....	36
O. Uploading New Version of a File.....	40
P. Previous Versions of File	40
Q. Searching Items.....	41
R. iOS (iPad, iPhone, iPod) Support.....	43
S. S-Drive Attachments	45
1. Account Files	45
2. Contact Files.....	52
3. Opportunity Files	59
4. Case Files.....	66
5. Other Standard/Custom Object Files.....	73
T. S-Drive Advanced Search	80
1. Searching Files.....	80

2. Configuring S-Drive Advanced Search Component.....	87
U. SDriveTools API	89
a. getAttachmentURL()	89
b. getAttachmentURLs().....	92
c. id15to18().....	93
d. getAccessKey()	93
e. getBucketName()	93
f. getS3Endpoint()	93
g. deleteFiles().....	93
h. initializeUpload()	94
g. completeUpload()	96
h. cancelUpload()	96
i. getAmazonHeaders()	97
j. initializeMultiPartUpload().....	97
k. copyPartMultiPartUpload().....	98
l. completeMultiPartUpload().....	98
m. deleteMultiParts()	99
n. abortMultiPartUpload()	99
o. inheritSharings().....	100
p. Uploading Files to S-Drive (Amazon S3).....	102
V. S-Drive Support	107

A. S-Drive Folders Screen

S-Drive Folders screen is mainly divided into three panels. Let's first learn more about S-Drive Folders screen:




Figure 1

1. Folders

Left panel (Figure 1-1) is the **"Folders"** panel. It displays your account's folder structure. Your home folder is named as **"Home"** and your files and folders are listed in a hierarchical way. You can click on a folder name to display its contents in the right pane. If a top-folder has sub-folders under it, it will have a plus sign (+) next to its name. After opening that folder, plus sign becomes a minus sign (-). You can open-close folders using these signs also.

2. Toolbar

Top panel (Figure 1-2) is the **"Toolbar"** panel. It displays several buttons, search box and current folder information holder. Items in the toolbar usage can be summarized as shown in Figure 3.

Important Note: If you accessed "S-Drive Folders" from "S-Drive Attachments" using "Attach from S-Drive Folders" button you'll see two buttons above the toolbar: "Attach File(s)" and "Cancel Attach". These buttons are used to attach selected files from S-Drive Folders to S-Drive Attachments of the selected object (Figure 2).



Figure 2




Figure 3

- (a) **"Current Folder Information Holder"** keeps the current folder information. For example if you are under *"Home/Company Invoices"* folder, the location information will be displayed in this area (Figure 3-a). You can click any level to drill down to that subfolder. Once a search is performed, search results are displayed in "Search Results View" and "Current Folder Information Holder" becomes "Back to Home" link (Figure 4). You can click to this link to go back to Home page.




Figure 4

- (b) **"Create Folder"** button is used to create folders. See "Creating Folders" section for more information (Figure 3-b). This item is not displayed for the "Search Results View".
- (c) **"Upload File(s)"** button is used to upload file(s). See "Uploading Files" section for more information (Figure 3-c). This item is not displayed for the "Search Results View".
- (d) **"Download File(s)"** button is used to open 'Download Manager'. See "Downloading Files" section for more information (Figure 3-d).
- (e) **"Send Email"** button is used to email files. See "Emailing Files" section for more information (Figure 3-e).
- (f) **"Delete File(s)"** button is used to delete file(s). See "Deleting Files" and "Deleting Folders" sections for more information (Figure 3-f).
- (g) **"Cut"** button is used to move file(s) between folders. See "Moving Files" section for more information (Figure 3-g).
- (h) **"Copy"** button is used to copy file(s) between folders. See "Copying Files" sections for more information (Figure 3-h).

- (i) **"Paste"** button is used to paste the copied or cut file(s) to a folder. This button is not visible until files are selected for cut/copy. See "Moving Files" and "Copying Files" sections for more information (Figure 3-i). This item is not displayed for the "Search Results View".
- (j) **"Search Box"** is used to search items (files, folders) in S-Drive Folders. Refer to the "Searching Items" section for more information (Figure 3-j).

3. Current Folder View / Search Results View

Right pane (Figure 1-3) is the **"Current Folder View"** by default. Files and sub-folders which belong to the current folder are listed here. If a search is performed this view is changed to **"Search Results View"** and search results are displayed inside the pane. Let's review the details of this pane (Figure 5):



1	2	3	4	5	6	7	8
Actions		File Name	Created Date	Created By ID	Description		File Size
Item Actions		Product Images	4/3/2013 4:41 AM	CyanGate CyanGate	Product Images		0 bytes
Item Actions		Sales Presentations	4/3/2013 4:41 AM	CyanGate CyanGate	Sales Presentations		0 bytes
Item Actions		Company Invoices	4/3/2013 4:40 AM	CyanGate CyanGate	Company Invoices		0 bytes
Item Actions		Demo PDF Document.pdf	4/3/2013 5:42 AM	CyanGate CyanGate			149.09 KB
Item Actions		S-Drive Installation Guide 1.20.pdf	4/3/2013 5:42 AM	CyanGate CyanGate			831.39 KB

Figure 5

- (1) First column contains **"Select All"** and **"Select Single Item"** check box options. This column is used to select items for multiple processing (download, email, delete, cut, copy). You can select items by clicking checkboxes (Figure 5-1).
- (2) **"Actions"** column is used to display action buttons (Figure 5-2). Based on the sharing settings, you can see **"Item Actions"** button inside the Actions column. Once you click the button, you'll see a dropdown menu under the button. Let's review the details about these item actions (Figure 6):




Figure 6

- (a) **Download:** This option is displayed only for files. You can download the selected file by selecting this action menu item (Figure 6-1). See "Downloading Files" section for more information.

- (b) **Copy URL:** This option is displayed only for files. You can copy the file download URL to the clipboard (Figure 6-1). See "Copying URL to Clipboard" section for more information.
 - (c) **Edit:** This option is displayed for both files and folders. You can edit file/folder description by clicking this action menu item (Figure 6-1 and Figure 6-2). See "Editing File/Folder Description" section for more information.
 - (d) **Rename:** This option is displayed for both files and folders. You can rename file/folder by clicking this action menu item (Figure 6-1 and Figure 6-2). See "Renaming Files & Folders" section for more information.
 - (e) **Share:** This option is displayed for both files and folders. You can share file/folder by clicking this action menu item (Figure 6-1 and Figure 6-2). See "Sharing Files & Folders" section for more information.
 - (f) **Delete:** This option is displayed for both files and folders. You can delete selected file/folder by clicking this action menu item (Figure 6-1 and Figure 6-2). See "Deleting Files" and "Deleting Folders" sections for more information.
- (3) **"File Type Icon"** column is used to distinguish file types. Folders, text files, image files etc. have different icons. You can sort by file types by clicking the column header (Figure 5-3).
- (4) **"File Name"** column is used to display file names (including file extensions) and folder names. You can sort by file name alphabetically ascending or descending by clicking the column header (Figure 5-4).
- (5) **"Created Date"** column is used to display the file upload date. File creation date is displayed in the month/day/year hour: minute form. You can sort files by creation dates ascending or descending by clicking the column header (Figure 5-5).
- (6) **"Created By ID"** column is used to display the file creator information based on the logged in user while uploading the file. You can sort files by created by field alphabetically ascending or descending by clicking the column header (Figure 5-6).
- (7) **"Description"** column is used to display the custom description of the file/folder. This description is saved while uploading the file or creating the folder by the user. It can also be edited easily at any time. (Figure 5-7).
- (8) **"File Size"** column is used to display file size information. Folders have 0 bytes file size. You can sort filenames by file size ascending or descending by clicking the column header (Figure 5-8).

B. Creating Folders

You can create folders by clicking "Create Folder" button in the toolbar (Figure 3-b). You can create any number of sub-folders in a folder. Go to the folder that you want to create a sub-folder. Click "Create Folder" button. After clicking the "Create Folder" button, a new pop-up screen will be opened (Figure 7):




Figure 7

- (1) **"Folder Name"**: Type in the new folder name into this field. You have 255 characters' limitation for the folder name. You can rename a folder after creation. Filling in this field is mandatory (Figure 7-1).
- (2) **"Description"**: Type in the folder description into this field. You can use folder description to describe the folder. This field is an optional field that means you don't have to supply a description. You have 32000 characters' limitation for this field. However, you should keep it short for readability (Figure 7-2).
- (3) **"Inherit Sharing from Parent Folder"**: If you're creating a folder in a subfolder and you have sharing enabled, you can inherit sharing from parent folder. Inheriting sharing from parent folder means all manual shares that are defined on parent folder will be applied to newly created folder (Figure 7-3). You won't be able to see this option if you're creating a folder at the "Home" level or if you do not have permissions for sharing.
- (4) **"Create Button"**: After filling in the required fields, you can click OK button to create the new folder. S-Drive will create the new folder and refresh the folder structure for you (Figure 7-4).
- (5) **"Cancel Button"**: If you decide not to create a folder, you can click Cancel button. Operation will be canceled and you'll return back to the S-Drive Folders screen (Figure 7-5).



1. If you try to create a folder without a name, with forbidden characters, or with a name that exists in the current folder you'll get one of the warning messages below (Figure 8):
 - *'Name cannot be blank!'*.
 - *'Name cannot start with a space or a dot and cannot contain any of the following characters: "\ / : * ? " < > | ~"'*.
 - *'Cannot create item. An item with the name you specified already exists. Specify a different name!'*.
 Click OK and then specify a new name to the folder.




Figure 8

2. **"Create Folder"** button becomes invisible if you do not have permissions to create a folder.
3. **"Create Folder"** button becomes invisible for the **"Search Results View"** once a search operation is performed. So you cannot create a folder in the search results screen. You need to click **"Back to Home"** and go to the folder where you want to create the subfolder.

C. Uploading Files

You can upload files by clicking "Upload File(s)" button in the toolbar (Figure 3-c). You can upload any number of files into a folder at a time. Go to the folder that you want to upload files. Click "Upload File(s)" button. After clicking the "Upload File(s)" button, based on your configuration a new pop-up screen or inline upload widget will be opened as shown in Figure 9 (Html Upload Widget), and Figure 10 (Java Upload Widget).




Figure 9




Figure 10

- (1) **"Add file(s) Button"**: You can add files to the upload list by using this button (Figure 9-1, **Error! Reference source not found.**-1 and Figure 10-1). After clicking the (+) sign, "Select file(s)" screen will be opened (Figure 11).




Figure 11

You can browse your computer and select files to upload. To select multiple files at a time from a folder, click on each file while you are holding "Ctrl" key. After selecting files to upload click "Open" button. Selected files will be added to the Upload Files screen. Note that selected files are not uploaded yet, you are just creating an upload list. You can use "Add file(s)" and "Remove file(s)" buttons multiple times to organize the upload list.

- (2) **"Remove file(s) Button"**: After adding some files to the "upload files list", you may decide to remove some files from the list. You can do this by selecting the file(s) from list and then clicking "Remove file(s)" button. To select multiple files, hold the "Ctrl" key, while selecting files to be deleted (Figure 9-2, **Error! Reference source not found.**-2 and Figure 10-2).

- (3) **"Upload Progress Bar"**: This progress bar displays the upload information after clicking the "Upload file(s) Button" (Figure 12, **Error! Reference source not found.**-3 and **Error! Reference source not found.**).




Figure 12

For Html Upload Widget, percentage of the progress (i.e. 49%) and the uploaded files count of total files count (i.e. 1/2) is displayed in the upload progress bar. If upload is completed successfully, it displays *"Upload(s) completed successfully"* message inside the progress bar. You can cancel the upload at any time by clicking the "Cancel Upload" button. (Note: Cancel Upload button is just visible while upload is in progress.)

For Java Upload Widget it does not display the percentage of the progress for small file uploads (5 MB, configurable), instead it displays "Uploading" message as shown in Figure 13.




Figure 13

- (4) **"Upload file(s) Button"**: After selecting the files to be uploaded and editing their description, you can click this button, to start uploading files. "Upload file(s) Button" will change to "Cancel Upload Button" while upload is in progress. You can cancel the upload any time by clicking this button. If you cancel the upload, the current file which is being uploaded will be canceled. For example, if you select five files to upload and after uploading two files you decide to cancel the upload process, first two files will be uploaded but the process will be canceled after third file. There is also another possibility for the files that it may fail. Failing the upload for a file won't impact other file uploads, but it will be noted that it "FAILED" in the status column of the upload list after the upload completed. If you click to the "Upload file(s)" button after a failure or cancellation, "COMPLETED" files in the upload list will be skipped for this iteration and only unprocessed, failed or canceled items will be uploaded (**Error! Reference source not found.-4**).
- (5) **"File Column"**: This column displays the names of the files to be uploaded (Figure 9-5, **Error! Reference source not found.-5**).
- (6) **"Size Column"**: This column displays the sizes of the files to be uploaded (Figure 9-6, **Error! Reference source not found.-6**).
- (7) **"Description Column"**: This column is used to write a description to each file to be uploaded. This is an optional field meaning that you don't have to write descriptions to files. To write a description to a file, click the cell under the Description column for that file. Type in your description and press Enter or click somewhere else in the list. Description will be saved with the file while uploading (Figure 14, **Error! Reference source not found.-7** and Figure 15).




Figure 14



Notes

Html Upload Widget also supports custom object fields to edit these fields values before uploading.

userguide10.png	5.57 KB	This is a sample description
-----------------	---------	------------------------------

Figure 15

(1) **"Status Column"**: This column displays the status of the files which are being uploaded (Figure 9-8, **Error! Reference source not found.**-8 and Figure 17). For HTML Upload, there are five possible scenarios: **Queued**, **Uploading**, **Multipart Processing**, **Done** and **Failed** (Figure 16).











SalesforceForOutlook.exe	<div></div>	28.8 mb	
SalesforceForOutlook.exe	<div></div>	28.8 mb	
SalesforceForOutlook.exe	<div></div>	28.8 mb	
SalesforceForOutlook.exe	<div></div>	28.8 mb	
SalesforceForOutlook.exe	<div></div>	28.8 mb	

Figure 16

-  **Queued**: Current file in the list is queued for upload. User can remove this file clicking this delete button.
-  **Uploading**: current file in the list is being uploaded to the S-Drive.
-  **Multipart Processing**: current file in the list is processing for multipart operations like copy part, complete multi part. This may take long time.
-  **Done**: current file in the list is successfully uploaded to the S-Drive.
-  **Failed**: current file is failed to upload. This may happen because of a system problem or user canceled the upload operation or also if you select "No" for the "Overwrite file?" question.

File	Size	Description	Status
userguide02.png	60.24 KB		COMPLETED
userguide01.png	14.67 KB		COMPLETED
Adobe® Flex® 3.0 For	5.65 MB		

Figure 17

There are three possible scenarios: COMPLETED, CANCELED, and FAILED for Java Upload.

- COMPLETED means, current file in the list is successfully uploaded to the S-Drive.
- FAILED means, current file failed to upload. This may happen because of a system problem or also if you select "No" for the "Overwrite file?" question.
- CANCELED means, user canceled the upload operation. Current file and the files after the current file were not uploaded to the S-Drive.

For Html Upload and Java Upload Widget, you can hover on the status of the individual item to display the details of a FAILED or CANCELED status.

- (2) **"Close Button"**: This button is used to close Upload Screen. It is not enabled while upload is in progress. If you want to close the upload screen while an upload is in progress, first you need to cancel the upload (Figure 9-9, **Error! Reference source not found.**-9).



1. If you try to upload a file with a name that exists in that folder, you'll get a warning message saying "Do you want to overwrite the file?" There are three possible answers: *Yes*, *No*, and *Cancel* (Figure 18). You may get this message multiple times for multi-file uploads for each file that has the same name of a file or folder in the uploaded folder.

For HTML Upload Widget and Java Upload Widget, there are four possible answers: Yes, No, Yes to All, No to All.




Figure 18

- If you select "Yes", file will be replaced with the uploaded file. After a successful completion its status will become COMPLETED.
- If you select "No", new file won't be uploaded. Old file will stay in S-Drive. Upload status for this file will be set to FAILED.
- If you select "Cancel", upload process will be canceled and file upload status will be set with CANCELED. If this is a multi-file upload, files after canceled file won't be processed.

2. If you try to upload a 0-byteslength (blank) file, you'll get an error saying *"You can't upload a zero-length file! (File Name)"* (Figure 19). Click OK and select another file to upload.




Figure 19

3. After processing the upload list, you'll be informed by saying *"Upload(s) completed successfully"* if list is processed without any errors (Figure 20). After clicking OK button, upload screen will be closed and the current folder will be refreshed.




Figure 20

4. **"Upload File(s)"** button becomes invisible if you do not have permissions to upload file(s).
5. **"Upload File(s)"** button becomes invisible for the **"Search Results View"** once a search operation is performed. So you cannot upload file(s) to the search results screen. You need to click **"Back to Home"** and go to the folder where you want to upload file(s).
6. Java Upload Widget currently does not support custom object fields (only standard fields like File Name, File Size, Description, Created By, Created Date). So, you need to edit these field values after uploading files.

D. Deleting Files

There are two possible ways to delete files: "Single File Deletion" or "Multiple File Deletion". Note that "Deleting Folders" will be handled in a different topic.

1. Single File Deletion




Figure 21

To delete a file, click the "Item Actions" button in the "Actions" column of the selected file and select "Delete" item menu action from the dropdown menu (Figure 21). Using this method, you can delete files one by one. After clicking the "Delete File" item action menu you'll be asked if you are sure (Figure 22).




Figure 22

If you select "Yes", file will be deleted immediately and you'll return back to the S-Drive Folders screen. If you select "Cancel", file won't be deleted and you'll return back to the S-Drive Folders screen.



Notes

- 1- If versioning is enabled and selected file has versions, all versions of selected file will also be deleted.

2. Multiple File Deletion




Figure 23

To delete multiple files at a time, select files and then click the "Delete File(s)" button in the toolbar of the S-Drive application (Figure 23). Using this method, you can delete multiple files at a time. After clicking the "Delete File(s)" button you'll be asked if you are sure (Figure 22). Select "Yes" to delete selected files, "Cancel" to cancel delete operation.



- 1- If versioning is enabled and selected file has versions, all versions of selected file will also be deleted.

E. Deleting Folders

You can delete folders using the same approach mentioned in the "Deleting Files" section. However, there are some limitations for the folders. Because of these limitations we're discussing folder deletion in a separate topic. Here is a list of these limitations:

- You cannot delete a folder which contains files.
- You cannot delete a folder which contains sub-folders.
- You cannot delete a folder which contains a WIP (work in progress) file that is uploaded by another user in last 12 hours. This can happen in shared folders, if some other user is trying to upload a file while you're trying to delete the parent folder. Note that you won't be able to see these files. You'll only get the warning message in these cases.

If you try to delete a folder which contains items in it; you'll get *"You cannot delete this file at this time: There are sub files in one or more of the selected folders, please delete the sub files first before deleting the folders!"* warning message (Figure 24). You need to first delete items under this folder, and then you can delete that folder. Besides that, delete operation can be applied same as written in "Deleting Files" section.




Figure 24

Also if you pay attention to these rules, you can delete files and folders together.



Notes

1. If you click toolbar's "Delete File(s)" button without selecting any file, you'll get a warning message saying *"Please select file(s) for deletion"* (Figure 25).




Figure 25

2. If you try to delete another user's file or folder, you may get an error message: "You don't have enough permission to delete this file!" (Figure 26) that means there are sharing restrictions over files set by your System Administrator or the file owner. You need to obey the restrictions set by your System Administrator (or file owner). You need to contact with your System Administrator or file owner to correct any sharing related problem.




Figure 26

F. Emailing Files

Emailing files is very easy using S-Drive. You can email any number of files at a time. S-Drive does not attach files to emails; it adds links to the files at the bottom of the email message. You can set the expiration time for these links also. So, you and your email recipients don't have to wait for sending/downloading large attachments. They'll just click the link in the email and they'll download attachments directly from source in a secure and fast way. You can use email templates in your organization. Let's see how this can be done (Figure 27). First select the files to email from the folder you want by clicking checkboxes next to each file, then click "Email" button in the toolbar. Email screen will be opened (as a popup for S-Drive Folders, as a new page for S-Drive Attachments).




Figure 27

Email Files screen contains many features (Figure 28). Let's review the details of the fields in this screen:

A screenshot of the 'Email' dialog box. It has a title bar with 'Email' and a close button. The dialog contains several fields and buttons. Numbered callouts are placed over the following elements: 1. 'Email Format' dropdown set to 'Text-Only' with a '[Switch to HTML]' link. 2. 'To' text input field. 3. 'Additional To' text input field. 4. 'CC' text input field. 5. 'BCC' text input field. 6. 'Attachment Expiration' section with a checked 'Never Expires' checkbox. 7. '4 attachment(s)' text with a 'Details' dropdown. 8. 'Subject' text input field. 9. 'Body' text area. 10. 'Use Email Signature' checkbox (checked). 11. 'Send' button at the top. 12. 'Select Template' button at the top. 13. 'Close' button at the top. 14. A red arrow pointing from the 'To' field to the 'Additional To' field. At the bottom of the dialog are 'Send', 'Select Template', and 'Close' buttons.

Figure 28

- (1) **"Email Format"**: Used to select the email format. If you want to remove any HTML formatting and send a text email, click *"Switch to Text-Only"*. Click *"Switch to HTML"* to use HTML formatting or to track the email. This option will not be displayed if you selected an HTML template from the "Select Template" menu (Figure 28-1).
- (2) **"To..."**: The main recipient of the email (Figure 28-2). This field has to be filled with a Salesforce contact. You cannot type in the email address; you need to search for contacts by clicking the "Lookup" button (Figure 28-14) and then getting a user from the list. You can also type in some characters of the contact name and then click the lookup button. After clicking the "Lookup" button "Search Contacts" screen will be opened (Figure 29). If you decide to change or remove the "To..." recipient of the email you can clear this field. "Lookup" button is not available for Customer Portal users.

This field is used just for sending email to Salesforce contacts. Other recipients can be added to "Additional To...", "CC..." and "BCC..." fields. Also note that the email message is added to the Activity History of the Salesforce.com contact. You can access activity history of a contact from his contact page under Salesforce.com Contacts tab. See *S-Drive Advanced Configuration Guide* for enabling Activity History for standard and custom objects.




Figure 29

Important Note: For Contact, Account, Case and Opportunity S-Drive Attachments, "To" field is auto-filled with related contact information, if available. You can configure this option for custom objects using "S-Drive Advanced Configuration Guide – Creating Custom Object Files" section.

- (a) **"Search Criteria"**: Type in the search criteria in this field. S-Drive searches over name, last name and email fields for the typed keyword after clicking the "Go" button or pressing the Enter key. You can leave it blank and press "Go" button to search across all of your contacts (Figure 29-a).

- (b) **"Go Button"**: After typing in the search criteria, click this button to start the search and retrieve the search results (Figure 29-b).
 - (c) **"Name Column"**: Results will be listed in this section after the search. Results' name will be displayed in this column (Figure 29-c).
 - (d) **"Email Column"**: Results' emails will be displayed in this column (Figure 29-d).
- (3) **"Additional To..."**: You can add additional mail recipients here. For multiple email recipients you need to comma-separate them. Also you can click the "Lookup" button (Figure 28-14) to select recipients from Salesforce contacts (Figure 28-3). "Lookup" button is not available for Customer Portal users.
- (4) **"CC..."**: Carbon copy the email. If you want to carbon-copy the email to some recipients, you can add them comma-separated here. Also you can click the "Lookup" button (Figure 28-14) to select recipients from Salesforce contacts (Figure 28-4). "Lookup" button is not available for Customer Portal users.
- (5) **"BCC..."**: Blind carbon copy the email. If you want to blind-carbon-copy the email to some recipients, you can add them comma-separated here. Also you can click the "Lookup" button (Figure 28-14) to select recipients from Salesforce contacts (Figure 28-5). "Lookup" button is not available for Customer Portal users.
- (6) **"Attachment Expiration"**: This field is used to set the expiration time for the attached files (Figure 28-6). Default is "Never Expires" (but organization-wide default value can be customizable over "S-Drive Configuration", consult to your system administrator to change the default value). Means that link in the email will be active until the account is closed or the file is deleted. If you uncheck "Never Expires", other options will appear (Figure 30). If you check the "Never Expires", other options will disappear again. For example, if you select 30 minutes for the attachment expiration, recipients of the email will not be able to download the attached files after 30 minutes of sending the email.




Figure 30

(a) **"Number Field"**: Type in the number for the selected time type (i.e. 30 minutes, 4 hours, 5 months) (Figure 30-a). For this field just positive integer values are allowed. If you type another character, you'll get "E-mail attachment expiration must use just numbers (e.g. 50)!" error message.

(b) **"Time Type"**: You can select *minute(s)*, *hour(s)*, *day(s)*, *month(s)* or *year(s)* for this field (Figure 30-b).

(7) **"Attachment Details"**: This section gives information about attached files (Figure 28-7). If you click *"Details"* button next to the "X attachment(s)" text, you'll see the file names and file sizes of the attached files. You can remove attached files using red - button next to the attached file name. You can hide attachment details by clicking *"Details"* button again (Figure 31).




Figure 31

(8) **"Subject"**: Type the subject of the mail to this field. This field is required. If you select a template this section is auto filled with the subject of the email template (Figure 28-8).

(9) **"Body"**: Type the email message to this field. If you select a template this section is auto filled with the body of the email template (Figure 28-9).

(10) **"Use Email Signature"**: If you want to use your email signature that you created over Salesforce account, check this option. If you do not want to append signature to the email, uncheck this option (Figure 28-10). "Use Email Signature" option is not available for Customer Portal users.

To display or change your email signature, login to your Salesforce account. Go to **"Setup -> Personal Setup -> Email -> My Email Settings"** and you'll see a section named **"Email Signature"**.

(11) **"Send Button"**: To send your message, click Send button (Figure 28-11). If everything is fine, you'll get "Email has been sent successfully" message. If it fails, you'll get "Email Failed" message along with the reason of the failure (Figure 32).




Figure 32

- (12) **"Select Template":** You can click "Select Template" button to choose a predefined email template. Choose a folder and select a template from the folder. If necessary, you can modify the content of the template in your email; however, you cannot modify Custom templates (Figure 33). Once you select the template email screens "Subject" and "Body" sections will be filled with the contents of the predefined template. Template selection screen is not available for Customer Portal users.




Figure 33

- (13) **"Close":** You can close email screen by clicking this button. It will close the email screen and return you back to the S-Drive screen (Figure 28-13).



1. You cannot email folders. If you try to email a folder as an attachment, you'll get "You can't email a folder. Please check your selection list and try again!" message (Figure 34).




Figure 34

2. With S-Drive 1.27, you can email "S-Drive Folder" files from an object by relating with it easily. For this purpose, you can either use "Attach from S-Drive Folders" button or a custom button can be added. Adding a custom button is explained in S-Drive Advanced Configuration Guide's "Email "S-Drive Folder" Files from an Object using a Custom Button" section. Instructions using

"Attach from S-Drive Folders" button for Case Files are provided below, but you can follow the same instructions for Accounts, Contacts, Opportunities or other standard/custom objects:

- a. Click to a Case record and scroll down to Case Files related list. Then click "Attach from S-Drive Folders" button (Figure 35).




Figure 35

- b. Select files to send and click Email button (Figure 36-a). You can see that "Related to" field is populated with related Case. Type in the other fields and click "Send" button (Figure 36-b).




Figure 36

G. Downloading Files

There are two ways of downloading files in S-Drive: "**Browser Controlled One Click Download**" and "**Download Manager Download**". To enable "Download Manager Download" your organization's system administrator must enable it from "S-Drive Configuration" page.

1. Browser Controlled One Click Download




Figure 37

You can download individual files by clicking "**Download**" item menu action from the "Item Actions" button (Figure 37). "Download" item menu action is only available for files. Download will be controlled by the browser you use (Internet Explorer, Firefox, Chrome, Safari, Opera etc.) (Figure 38).




Figure 38

2. Download Manager Download

To use "Download Manager", your organization's "System Administrator" needs to enable it from "S-Drive Configuration" screen. Read "*S-Drive Advanced Configuration Guide*" for more information.

If "Download Manager" is configured in your organization, you should see the "Download File(s)" button in "S-Drive Folders" toolbar (Figure 39).

You cannot download folders. If you try to download a "folder", you'll get an error message (Figure 42):




Figure 42



Notes

1. You cannot download folders. "Download" item menu action is invisible for the folders. You need to download files from folders.
2. Currently "Download Manager" ***can be used for one type of object at the same time***. So if you're downloading account files, you can't download case files at the same time using "Download Manager". You need to complete account file downloads, close the "Download Manager" and open a new "Download Manager" for case files.
3. You'll not be able to download files from "S-Drive Folders" and "S-Drive Attachments" using the same "Download Manager" screen. It will open different Download Managers.
4. In "Download Manager" if there is a file with the same name in the target download folder, file will be renamed to <FILENAME> (1). <EXTENSION> or <FILENAME>(2).<EXTENSION> etc. accordingly.

H. Opening Files

If you open the files automatically, you should click "Open" link (Figure 43).




Figure 43



1. You should make some configurations for browsers (Internet Explorer, Firefox, Chrome, Safari, Opera etc.) to enable some types of files for opening. You can reference below links:

Internet Explorer

http://247support.custhelp.com/app/answers/detail/a_id/8892/~internet-explorer%3A-no-download-prompt-appears

http://erptraining.niu.edu/erptraining/PS_browser_settings/ie9.shtml

Chrome

<http://blog.rubbersoft.com/2010/01/how-to-automatically-open-downloaded-files-in-chrome/>
<http://www.adeptscience.co.uk/kb/article/1379E>

Firefox

<http://meruscase.com/customizing-your-experience/how-do-i-auto-open-documents-in-firefox/>
http://kb.mozillazine.org/File_types_and_download_actions

I. Moving Files

You can move files between directories in S-Drive. To do this, first you need to select files to move. Then click the **"Cut"** (✂) button at the top menu. Go to the folder where you want to paste the files, select **"Paste"** (📄) button at the top menu (Figure 44).




Figure 44

If sharing is enabled, it will ask if you want to bring the current sharings with the cut item(s). You can select "Yes" or "No" based on your decision (Figure 45).




Figure 45

It will start the paste operation and a progress bar will be displayed in the middle of the screen (Figure 46). You can cancel the paste operation anytime by clicking "Cancel" button. After completion of the paste operation this pop-up screen will disappear.




Figure 46

If there is already a file with that name inside the target directory, S-Drive will warn you with "Do you want to overwrite?" message (Figure 47).




Figure 47

If you select "Yes", it will overwrite the file and if there are other files in move list, it will process them. If you select "No", it will skip that file and process other files in the move list. If you select "Cancel" it will cancel the move process and won't process the files left.



1. "**Cut**" and "**Paste**" buttons become invisible if you do not have permissions to cut/paste items in the current folder.
2. File will be "**Cut**" and "**Paste**" with all its versions, if you have versions under this file.

J. Copying Files

You can copy files between directories in S-Drive. To do this, first you need to select files to copy. Then select **"Copy"** (📄) button at the top menu. Go to the folder where you want to paste the files, and select **"Paste"** (📁) button at the top menu (Figure 48).




Figure 48

If sharing is enabled, it will ask if you want to bring the current sharings with the cut item(s). You can select "Yes" or "No" based on your decision (Figure 49).




Figure 49

It will start the copy operation and a progress bar will be displayed in the middle of the screen (Figure 50). You can cancel the copy operation anytime by clicking the "Cancel" button. After completion of the copy operation this pop-up screen will disappear.




Figure 50

If there is already a file with that name inside the target directory, S-Drive will warn you with the "Do you want to overwrite?" message (Figure 51).




Figure 51

If you select "Yes", it will overwrite the file and if there are other files in copy list, it will process them. If you select "No", it will skip that file and process other files in the copy list. If you select "Cancel" it will cancel the copy process and won't process the files left.



1. **"Copy"** and **"Paste"** buttons become invisible if you do not have permissions to copy/paste items in the current folder.
2. If you have versions of your file, only latest version of the will be copied.

K. Renaming Files & Folders

To rename files and folders in S-Drive you just need to select "Rename" item menu action from the "Item Actions" menu of the item that you want to rename (Figure 52-1), and type in the new name in the opening Rename screen (Figure 52-2).




Figure 52



Notes

1. If you try to rename a file/folder that you do not have edit permissions, you'll get "You don't have enough permission to update this file!" error message (Figure 53).




Figure 53

L. Editing File/Folder Description

To edit description of a file/folder, select a file/folder. Then go to the "Actions" tab of the selected file/folder. Click to the "Item Actions" button and select "Edit" item menu action from the dropdown list (Figure 54).




Figure 54

A new pop-up named "Edit" will be opened. You can change the description here and click "Save" button to save changes. If you click Cancel button, description won't be updated and this pop-up will be closed (Figure 55).




Figure 55



Notes

1. If you try to edit description of a file/folder that you do not have edit permissions, you'll get "You don't have enough permission to update this file!" error message (Figure 56).




Figure 56

M. Copying URL to Clipboard

To copy URL of a file to clipboard, click "Item Actions" button next to the file and click **"Copy URL"** action menu item to copy the URL of the selected file to the clipboard (Figure 57).




Figure 57

After clicking this button, Copy URL pop-up will be displayed (Figure 58). Select the URL by clicking "Select URL" link in this pop-up. You can close this pop-up by clicking "Close" link.




Figure 58

You can paste it to any document or you can use it to access file from browser. For example, if you paste it to the Internet Explorer address bar after copying it, you will get a direct download link for the file (Figure 59).




Figure 59



1. This feature is not enabled for folders. Because folders don't have URLs in S-Drive. "Copy URL" item menu action is invisible for the folders.

N. Sharing Files & Folders

S-Drive Folders supports object level sharing. You can share files and folders by clicking "Item Actions" button under "Actions" column and selecting **"Share"** action menu item from dropdown for individual files and folders (Figure 60).




Figure 60

Once you select "Share" action menu item, current shares on the file will be listed in a pop-up (Figure 61). You can review the shares on the object, add new shares, and edit/delete manual shares, using this screen.




Figure 61

"Action" column is used to edit or delete the manual shares (Figure 61-1 and Figure 61-2). "Type" column displays the type (user, group, role etc.) of the sharing (Figure 61-3). "Name" column displays the name of the user/group/role etc. that item is shared (Figure 61-4). If name is underlined, you can click to open the details in a new window. "Access Level" column displays if the share is "read only", "read/write" (Figure 61-5). "Reason" column displays the reason of the sharing (Figure 61-6). Only manual shares are editable, other types of shares (owner, custom object sharing rule etc.) are for view purposes.

You can add new shares by clicking "New Share" button (Figure 61-7) and close this screen by clicking "Close" button (Figure 61-8).

Once you click "New Share" button "Add New Share" page will be opened (Figure 62). You can select the "Type" from the dropdown (Figure 62-1). Once you select the type, available fields will be listed in "Available" section (Figure 62-2). You can select multiple items and click the arrows to move the items between "Available" and "Share With" sections (Figure 62-3). You can select "Read Only" or "Read/Write" from the "Access Level" section (Figure 62-4). Selected shares can be saved using "Save" button, you can go back by clicking "Cancel" button and you can close the Share pop-up by clicking "Close" button (Figure 62-5).




Figure 62

If you want to edit a sharing you can click "Edit" in the share lists screen (Figure 61-1). You can change selected object's access level and save (Figure 63).




Figure 63

You can delete a manual sharing by clicking "Delete" in the share lists screen (Figure 61-2). If you select "Yes", share will be deleted (Figure 64).




Figure 64



1. Sharing items (files or folder) with "Read Only" access level gives allowed shared user/group/profile etc. read only access. That means user can see file details, download file, copy file; but cannot edit, delete, move, rename file. If user has "Read Only" access on a folder he won't be able to see "New Folder", "Upload File(s)", "Cut" buttons.
2. Sharing items (files or folder) with "Read/Write" access level gives allowed shared user/group/profile etc. read write access. That means user can see file details, download file, copy, edit, delete, move, and rename file. But cannot delete the file. Only file/folder owner can delete the file.
3. If no sharing is given to the user on a folder, user won't be able to see the folder and its contents.
4. Sharing folders affects sub files and folders. So, if you share a folder, that sharing will be applied to sub files and folders.
5. If sharing is enabled and if you're in a subfolder (not Home folder), you'll see "Inherit Sharing from Parent Folder" checkbox when creating a folder or uploading files. Default is checked. You can uncheck this checkbox if you do not want to inherit shares from parent to the newly created folder or file (Figure 65) at the time of creation.




Figure 65

6. If there are profile level permission definitions, profile level permissions override the sharing settings. So if "S3Objects" is set as read only for a profile, there is no meaning to give read/write access on a folder.
7. Based on the shares that your file/folder have, some or all of the "Item Actions" item action menus may be invisible or clicking the item in the dropdown will warn you with a "not enough permission" error message.
8. If you want to restrict standard users to create files and folders at the top level of S-Drive Folders, you can check **"Only Allow Users with Modify All Permissions to Create Items at the Top Level"** checkbox from "S-Drive Configuration" tab.
9. "Share" item action menu in "Item Actions" dropdown is not visible to customer portal users.

O. Uploading New Version of a File

[This feature requires enabling versioning on the organization. Refer to the S-Drive Installation Guide to enable Versioning for your organization.] You can upload new version of a file by clicking "Item Actions" button under "Actions" column and selecting "**Upload New Version**" action menu item from dropdown for individual files (Figure 66). Only HTML Upload Manager supports version upload.




Figure 66

Upload page will be opened and you will be able to upload new version. You can only upload one file at a time for version upload.

P. Previous Versions of File

[This feature requires enabling versioning on the organization. Refer to the S-Drive Installation Guide to enable Versioning for your organization.] You can see previous versions of file by clicking "Item Actions" button under "Actions" column and selecting "**Previous Versions**" action menu item from dropdown for individual files. (Figure 67).




Figure 67

You can set a version as the latest version by clicking "Item Actions" button under "Actions" column and selecting "Set Current" action menu item from dropdown for individual files in Versions screen. When you click Set Current, selected old version will be set as the latest version of the file. (Figure 68)



Figure 68

You will be able to apply Download, Open, Copy URL, Edit, Rename, Delete actions for individual version files also. These actions are same as the other item actions explained above.

Q. Searching Items

You can search for files and folders inside S-Drive Folders. To start a search, type the search criteria to the right corner of S-Drive Folders screen, into the search box and click Enter (Figure 69).

You can use wildcards, '*' (multiple characters), '?' (single character)' in search keywords. For example: *exam**, *boo?* etc.

Results are displayed in the same section with a "X Result(s) Found" header. "New Folder", "Upload File(s)", "Paste" buttons are invisible in the search results screen. You can go back to home by clicking "Back to Home" link on the left of the screen.




Figure 69



1. Salesforce.com does not index uploaded files immediately, so newly uploaded files will be eligible for search in a few minutes after the upload.
2. Pagination is not supported for search results. You'll see all results of a search in a single page.
3. Search is performed on searchable fields like "File Name" and "Description".
4. If you try to search with blank criteria, you'll get an error message saying: "Search keyword cannot be empty!" (Figure 70-1).




Figure 70

5. If you try to search with one character, you'll get an error message saying: "Search keyword must be longer than one character!" (Figure 70-2).

R. iOS (iPad, iPhone, iPod) Support

iOS (iPad, iPhone and iPod devices) support is improved for S-Drive Folders and S-Drive Attachments (Figure 71).




Figure 71

You can browse and search folders/files, create folders, download files, email files, cut-copy-paste files, edit fields (e.g. Description), delete files/folders, copy URLs of files, sort files/folder ascending or descending using your iOS device (preferably iPad) (Figure 72).




Figure 72

But currently you **cannot upload files, download files using Download Manager for bulk download** with your iOS device. Because iOS devices do not support Flash and Java technologies that our upload widgets use. We're planning to add upload feature in next releases.

Screens for iOS devices are similar to the "S-Drive Folders" and "S-Drive Attachments" screens except the "Upload File(s)" and "Download" buttons at the top of the files section are not available in iOS versions. You can refer to the "S-Drive Attachments" section of this document for more information about the usage.

Below is a screenshot of the Case Files section from an iPad device (Figure 73).




Figure 73

S. S-Drive Attachments

S-Drive Attachments is the object attachments for S-Drive. You can create folders and upload files to objects without file size limitations using S-Drive Attachments. You can also attach files to the objects from S-Drive Folders. Account, Case, Contact, and Opportunity S-Drive Attachments are bundled in the S-Drive installation. You just need to make some configuration to start using S-Drive Attachments. Please refer to the "S-Drive Installation Guide" for configuration of the S-Drive Attachments. You can also use S-Drive Attachments for your other standard/custom objects using the instructions in "S-Drive Advanced Configuration Guide".

1. Account Files

After installing S-Drive, if you made the configuration correctly you'll be able to create account files in "Accounts" tab for each account easily. Go to your "Accounts" tab, select an account from the list (or create a new account). If you can see the "Account Files" page block in the current account's page, you can keep on reading (Figure 74). Otherwise please consult to the "S-Drive Installation Guide" to activate "Account Files" section.




Figure 74

- (1) **"New Folder Button":** This button is used to create new folders (Figure 74-1). When you click the button, "New Folder" screen will be opened and you'll be able to create a folder by typing its name (mandatory) and description (optional). You can create the folder by clicking "Create" button (Figure 75).




Figure 75

- (2) **"Upload File(s) Button"**: This button is used to add account files to this account (Figure 74-2). After clicking this button "Upload Files" screen will be initialized. After initialization finishes, for the first time it will welcome you with a message: *"Welcome to the Upload Page. Click OK to start uploading files."* (Figure 76).

After clicking OK, you can select files to upload. This screen is similar to the "Upload Screen" reviewed in "Uploading Files" section. You can refer to this section for more information about uploading files.




Figure 76

- (3) **"Attach from S-Drive Folders Button"**: This button is used to attach files from S-Drive Folders to this account (Figure 74-3). After clicking this button "S-Drive Folders" screen will be initialized. There will be two extra buttons above the toolbar section to attach files to this account (Figure 77-A). You need to select file(s) to attach, and then click "Attach File(s)" button to start attaching. Attaching is a copy operation, so a new copy of the file will be created once attach is completed.

You can see the attach progress, once you click "Attach File(s)" button (Figure 77-B). After completion of the attach process, you'll be asked: "Attach completed. Do you want to attach more files?" If you select "Yes", message will be closed and you can select more files to attach. If you select "No", page will be closed and you'll be redirected to the account page (Figure 77-C). "Cancel Attach" button also redirects you to the account page. You can cancel the attach process while it is in progress by clicking "Cancel" button in the progress screen. "Attach from S-Drive Folders" button is not available for customer portal users.




Figure 77



1. If versioning is enabled and selected file has versions, only latest version of the file will be attached.

(4) "Email Selected Button": This button is used to email selected account files (Figure 74-4). To use this button, you need to select one or more files using "Select Single Item" or "Select All" options. If you do not select any files and click "Email Selected" button, you'll get a warning message saying *"Please select file(s) to email!"* (Figure 78). After making selections and clicking the "Email Selected" button, "Email Files" screen will be opened. This screen is similar to the "Email Screen" reviewed in "Emailing Files" section. You can refer to this section for more information about emailing files.




Figure 78

(5) "Delete Selected Button": This button is used to delete selected account files from current account (Figure 74-5). To use this button, you need to select one or more files using "Select Single Item" or "Select All" options. After making selections and clicking the "Delete Selected" button, you'll be warned if you are sure or not (Figure 79-A). Select "Yes" to delete, "Cancel" to cancel. If you do not make any selection and click "Delete Selected" button, you'll get an error message (Figure 79-B). If you click "Yes", delete process will start.




Figure 79



1. If you enabled versioning and have versions under the selected file, all versions of the selected file will also be deleted.

(6) "Current Folder Information Holder": Used to display where the current files/folder are in the hierarchy (Figure 74-6). You can click folders above to go to that folder.

(7) "Select All Option": Used to select all account files/folders for deletion/email etc. (Figure 74-7).

(8) **"Select Single Item Option"**: Used to select single account file/folder for deletion/email etc. (Figure 74-8).

(9) **"Actions Column"**: Contains "Item Actions" button. Once you click "Item Actions" button, dropdown is opened with list of item menu actions (Figure 74-9).

"Download": Used to download selected account file. After clicking this link you'll be warned to select the target location for download. Then you'll be able to download the selected file.

"Copy URL": Used to copy the URL of the selected account file. After clicking this link a popup will appear along with the URL of the selected file (Figure 80). First you need to click the "Select URL" button; this will highlight the URL, then right click the highlighted text and select "Copy" from the menu to copy the link to the clipboard (Figure 81). This item menu action is only for files and not available for folders.




Figure 80




Figure 81

"Edit": Used to edit fields of a selected file/folder. After clicking this link; a new pop-up will be opened (Figure 82) and you'll be able to edit current account file's/folder's editable fields. Edit the fields, then click "Save". After clicking "Save", edit process will start. You can click "Cancel" to cancel the edit operation.

Figure 82

"Rename": This option is displayed for both files and folders. You can rename file/folder by clicking this action menu item. See "Renaming Files & Folders" section for more information.

"Delete": Used to delete selected account file/folder. After clicking this link, you'll get a warning message (Figure 79-A). Select "Yes" to delete the file/folder, "Cancel" to cancel. If you click "Yes", delete process will start. Note that you cannot delete folders that contain files or subfolders.




1. If versioning is enabled and selected file has versions, all versions of selected file will also be deleted.

"Upload New Version": *[This feature requires enabling versioning on the organization. Refer to the S-Drive Installation Guide to enable Versioning for your organization.]* You can upload new version of file by clicking "Item Actions" button under "Actions" column and selecting **"Upload New Version"** action menu item from dropdown for individual files (Figure 83). Only HTML Upload Manager supports version upload.

	sdrivetest (1).png	08/02/2016 13:09	Ozqur Ozqur	768 bytes
	sdrivetest (10).png	08/02/2016 13:10	Ozqur Ozqur	768 bytes
	sdrivetest (100).png	08/02/2016 13:12	Ozqur Ozqur	768 bytes
	sdrivetest (101).png	08/02/2016 13:12	Ozqur Ozqur	768 bytes
	sdrivetest (102).png	08/02/2016 13:12	Ozqur Ozqur	768 bytes
	sdrivetest (103).png	08/02/2016 13:12	Ozqur Ozqur	768 bytes
	sdrivetest (104).png	08/02/2016 13:12	Ozqur Ozqur	768 bytes

Figure 83

"Previous Versions": *[This feature requires enabling versioning on the organization. Refer to the S-Drive Installation Guide to enable Versioning for your organization.]* You can see previous versions of file by clicking "Item Actions" button under "Actions" column and selecting **"Previous Versions"** action menu item from dropdown for individual files. (Figure 84).



Item Actions	File Name	Created Date	Created By	File Size
Item Actions	sdrivetest (18).png	10/02/2016 13:39	Ozaur Ozaur	768 bytes
Item Actions	sdrivetest (2).png	10/02/2016 13:39	Ozaur Ozaur	768 bytes
Item Actions	sdrivetest (3).png	10/02/2016 13:39	Ozaur Ozaur	768 bytes
Item Actions	sdrivetest (4).png	10/02/2016 13:39	Ozaur Ozaur	768 bytes
Item Actions	sdrivetest (5).png	10/02/2016 13:39	Ozaur Ozaur	768 bytes
Item Actions	sdrivetest (6).png	10/02/2016 13:39	Ozaur Ozaur	768 bytes
Item Actions	sdrivetest (7).png	10/02/2016 13:39	Ozaur Ozaur	768 bytes

Figure 84

"Set Current:" You can set a version as the latest version by clicking "Item Actions" button under "Actions" column and selecting **"Set Current"** action menu item from dropdown for individual files in Versions screen. When you click Set Current, selected old version will be set as the latest version of the file (Figure 85).



Actions	T	File Name	Created Date	Created By ID	Description	Version Description	File Size
Item Actions		sdrivetest (18).png (Current)	10/02/2016 13:39	Ozaur Ozaur			768 bytes
Item Actions		sdrivetest (1).png	10/02/2016 13:39	Ozaur Ozaur			768 bytes

Figure 85

You will be able to apply Download, Open, Copy URL, Edit, Rename, Delete actions for individual version files also. These actions are same as the other item actions explained above.

(10) "Content Type Column": Displays a type icon based on the content type of the account file/folder (Figure 74-10).

(11)"File Name Column": File name information for the account files (Figure 74-11). You can sort files/folder ascending or descending by clicking the field header.

(12)"Customizable Field Columns": These sections are used to display customizable fields (Figure 74-12). Your Salesforce.com account's system administrator can change this customizable list using "S-Drive Configuration" page. If nothing is configured you'll see "File Size", "Created Date", "Created By ID", "Description" and "File Size" columns by default. You can sort files/folder ascending or descending by clicking the field header if sorting is allowed for that field type.

(13)"Total Items / Pagination": Displays total items in selected folder and pagination if numbers of items are greater than the configured pagination number (Figure 74-13). If item (file/folder) count in a folder is greater than 100 (configurable), items are displayed with pagination and total items are displayed next to the page numbers (Figure 86). Total items include only current folder items, not subfolder items. For example, if there are 108 items in the folder, first 100 items will be displayed in first page and last 8 items will be displayed in the 2nd page. Pagination

section is displayed in two places: Next to the search box and at the right-bottom corner of the file list.




Figure 86

(14) "Search Box": You can search for files and folders inside S-Drive Attachments (Figure 74-14 and Figure 87). To start a search, type the search criteria to the right corner of S-Drive Attachments section, into the search box and click Enter. You can use wildcards, '*' (multiple characters), '?' (single character)' in search keywords. For example: *exam**, *boo?* etc. Results are displayed in the same section with an '*X Result(s) Found*' header and some buttons are disabled in the search results screen. You can go back to home by clicking '*Back to Home*' link on the left of the screen.




Figure 87



1. You cannot delete an account which has account files attached. You'll get an error message if you try to delete this kind of account (Figure 88). You need to delete account files first, and then you can delete the account.




Figure 88

2. Contact Files

After installing S-Drive, if you made the configuration correctly you'll be able to create contact files in "Contacts" tab for each contact easily. Go to your "Contacts" tab, select a contact from the list (or create a new contact). If you can see the "Contact Files" page block in the current contact's page you can keep on reading (Figure 89). Otherwise please consult to the "S-Drive Installation Guide" to activate "Contact Files" section.




Figure 89

- (1) **"New Folder Button"**: This button is used to create new folders (Figure 89-1). When you click the button, "New Folder" screen will be opened and you'll be able to create a folder by typing its name (mandatory) and description (optional). You can create the folder by clicking "Create" button (Figure 90).




Figure 90

- (2) **"Upload File(s) Button"**: This button is used to add contact files to this contact (Figure 89-2). After clicking this button "Upload Files" screen will be initialized. After initialization finishes, for the first time it will welcome you with a message: *"Welcome to the Upload Page. Click OK to start uploading files."* (Figure 91).

After clicking OK, you can select files to upload. This screen is similar to the "Upload Screen" reviewed in "Uploading Files" section. You can refer to this section for more information about uploading files.




Figure 91

- (3) **"Attach from S-Drive Folders Button"**: This button is used to attach files from S-Drive Folders to this contact (Figure 89-3). After clicking this button "S-Drive Folders" screen will be initialized. There will be two extra buttons above the toolbar section to attach files to this contact (Figure 92-A). You need to select file(s) to attach, and then click "Attach File(s)" button to start attaching. Attaching is a copy operation, so a new copy of the file will be created once attach is completed.

You can see the attach progress, once you click "Attach File(s)" button (Figure 92-B). After completion of the attach process, you'll be asked: "Attach completed. Do you want to attach more files?" If you select "Yes", message will be closed and you can select more files to attach. If you select "No", page will be closed and you'll be redirected to the contact page (Figure 92-C). "Cancel Attach" button also redirects you to the contact page. You can cancel the attach process while it is in progress by clicking "Cancel" button in the progress screen. "Attach from S-Drive Folders" button is not available for customer portal users.




Figure 92



1. If versioning is enabled and selected file has versions, only latest version of the file will be attached.

- (4) **"Email Selected Button"**: This button is used to email selected contact files (Figure 89-4). To use this button, you need to select one or more files using "Select Single Item" or "Select All" options. If you do not select any files and click "Email Selected" button, you'll get a warning message saying *"Please select file(s) to email!"* (Figure 93). After making selections and clicking the "Email Selected" button, "Email Files" screen will be opened. This screen is similar to the "Email Screen" reviewed in "Emailing Files" section. You can refer to this section for more information about emailing files.




Figure 93

- (5) **"Delete Selected Button"**: This button is used to delete selected contact files from current contact (Figure 89-5). To use this button, you need to select one or more files using "Select Single Item" or "Select All" options. After making selections and clicking the "Delete Selected" button, you'll be warned if you are sure or not (Figure 94-A). Select "Yes" to delete, "Cancel" to cancel. If you do not make any selection and click "Delete Selected" button, you'll get an error message (Figure 94-B). If you click "Yes", delete process will start.




Figure 94



1. If versioning is enabled and selected file has versions, all versions of selected file will also be deleted.
- (6) **"Current Folder Information Holder"**: Used to display where the current files/folder are in the hierarchy (Figure 89-6). You can click folders above to go to that folder.
- (7) **"Select All Option"**: Used to select all contact files/folders for deletion/email etc. (Figure 89-7).
- (8) **"Select Single Item Option"**: Used to select single contact file/folder for deletion/email etc. (Figure 89-8).
- (9) **"Actions Column"**: Contains "Item Actions" button. Once you click "Item Actions" button, dropdown is opened with list of item menu actions (Figure 89-9).

"Download": Used to download selected contact file. After clicking this link you'll be warned to select the target location for download. Then you'll be able to download the selected file.

"Copy URL": Used to copy the URL of the selected contact file. After clicking this link a popup will appear along with the URL of the selected file (Figure 95). First you need to click the "Select URL" button; this will highlight the URL, then right click the highlighted text and select "Copy" from the menu to copy the link to the clipboard (Figure 96).




Figure 95




Figure 96

"Edit": Used to edit fields of a selected file/folder. After clicking this link; a new pop-up will be opened (Figure 97) and you'll be able to edit current contact file's/folder's editable fields. Edit the fields, then click "Save". After clicking "Save", edit process will start. You can click "Cancel" to cancel the edit operation.




Figure 97

"Rename": This option is displayed for both files and folders. You can rename file/folder by clicking this action menu item. See "Renaming Files & Folders" section for more information.

"Delete": Used to delete selected contact file/folder. After clicking this link, you'll get a warning message (Figure 94-A). Select "Yes" to delete the file/folder, "Cancel" to cancel. If you click "Yes", delete process will start. Note that you cannot delete folders that contain files or subfolders.



1. If versioning is enabled and selected file has versions, all versions of selected file will also be deleted.

"Upload New Version": *[This feature requires enabling versioning on the organization. Refer to the S-Drive Installation Guide to enable Versioning for your organization.]* You can upload new version of file by clicking "Item Actions" button under "Actions" column and selecting **"Upload New Version"** action menu item from dropdown for individual files. (Figure 98). Only HTML Upload Manager supports version upload.




Figure 98

"Previous Versions": *[This feature requires enabling versioning on the organization. Refer to the S-Drive Installation Guide to enable Versioning for your organization.]* You can see previous versions of file by clicking "Item Actions" button under "Actions" column and selecting **"Previous Versions"** action menu item from dropdown for individual files. (Figure 99).




Figure 99

"Set Current:" You can set a version as the latest version by clicking "Item Actions" button under "Actions" column and selecting **"Set Current"** action menu item from dropdown for individual files in Versions screen. When you click Set Current, selected old version will be set as the latest version of the file (Figure 100).



Figure 100

You will be able to apply Download, Open, Copy URL, Edit, Rename, Delete actions for individual version files also. These actions are same as the other item actions explained above.

- (10) **"Content Type Column"**: Displays a type icon based on the content type of the contact file/folder (Figure 89-10).
- (11) **"File Name Column"**: File name information for the contact files (Figure 89-11). You can sort files/folder ascending or descending by clicking the field header.
- (12) **"Customizable Field Columns"**: These sections are used to display customizable fields (Figure 89-12). Your Salesforce.com account's system administrator can change this customizable list using "S-Drive Configuration" page. If nothing is configured you'll see "File Size", "Created Date", "Created By ID", "Description" and "File Size" columns by default. You can sort files/folder ascending or descending by clicking the field header if sorting is allowed for that field type.
- (13) **"Total Items / Pagination"**: Displays total items in selected folder and pagination if numbers of items are greater than the configured pagination number (Figure 89-13). If item (file/folder) count in a folder is greater than 100 (configurable), items are displayed with pagination and total items are displayed next to the page numbers (Figure 86). Total items include only current folder items, not subfolder items. For example, if there are 108 items in the folder, first 100 items will be displayed in first page and last 8 items will be displayed in the 2nd page. Pagination section is displayed in two places: Next to the search box and at the right-bottom corner of the file list.
- (14) **"Search Box"**: You can search for files and folders inside S-Drive Attachments (Figure 89-14 and Figure 87). To start a search, type the search criteria to the right corner of S-Drive Attachments section, into the search box and click Enter. You can use wildcards, '*' (multiple characters), '?' (single character)' in search keywords. For example: *exam**, *boo?* etc. Results are displayed in the same section with a '*X Result(s) Found*' header and some buttons are disabled in the search results screen. You can go back to home by clicking '*Back to Home*' link on the left of the screen.



1. You cannot delete a contact which has contact files attached. You'll get an error message if you try to delete this kind of contact (Figure 101). You need to delete contact files first, and then you can delete the contact.




Figure 101

2. You can just upload contact files to contacts that you own. This is a limitation of Salesforce.com. If you try to upload a file to another user's contact, you won't be able to upload the contact file and will be warned: *"insufficient access rights on cross-reference id"*.

3. Opportunity Files

After installing S-Drive, if you made the configuration correctly you'll be able to create opportunity files in "Opportunities" tab for each opportunity easily. Go to your "Opportunities" tab, select an opportunity from the list (or create a new opportunity). If you can see the "Opportunity Files" page block in the current opportunity's page, you can keep on reading (Figure 102). Otherwise please consult to the "S-Drive Installation Guide" to activate "Opportunity Files" section.




Figure 102

- (1) **"New Folder Button":** This button is used to create new folders (Figure 102-1). When you click the button, "New Folder" screen will be opened and you'll be able to create a folder by typing its name (mandatory) and description (optional). You can create the folder by clicking "Create" button (Figure 103).




Figure 103

- (2) **"Upload File(s) Button":** This button is used to add opportunity files to this opportunity (Figure 102-2). After clicking this button "Upload Files" screen will be initialized. After initialization finishes, for the first time it will welcome you with a message: *"Welcome to the Upload Page. Click OK to start uploading files."* (Figure 104).

After clicking OK, you can select files to upload. This screen is similar to the "Upload Screen" reviewed in "Uploading Files" section. You can refer to this section for more information about uploading files.




Figure 104

- (3) **"Attach from S-Drive Folders Button"**: This button is used to attach files from S-Drive Folders to this opportunity (Figure 102-3). After clicking this button "S-Drive Folders" screen will be initialized. There will be two extra buttons above the "current folder information holder" text to attach files to this opportunity (Figure 105-A). You need to select file(s) to attach, and then click "Attach File(s)" button to start attaching. Attaching is a copy operation, so a new copy of the file will be created once attach is completed.

You can see the attach progress, once you click "Attach File(s)" button (Figure 105-B). After completion of the attach process, you'll be asked: "Attach completed. Do you want to attach more files?" If you select "Yes", message will be closed and you can select more files to attach. If you select "No", page will be closed and you'll be redirected to the opportunity page (Figure 105-C). "Cancel Attach" button also redirects you to the opportunity page. You can cancel the attach process while it is in progress by clicking "Cancel" button in the progress screen. "Attach from S-Drive Folders" button is not available for customer portal users.




Figure 105



Notes

1. If versioning is enabled and selected file has versions, only latest version of the file will be attached.

- (4) **"Email Selected Button"**: This button is used to email selected opportunity files (Figure 102-4). To use this button, you need to select one or more files using "Select Single Item" or "Select All" options. If you do not select any files and click "Email Selected" button, you'll get a warning message saying *"Please select file(s) to email!"* (Figure 106). After making selections and clicking the "Email Selected" button, "Email Files" screen will be opened. This screen is similar to the "Email Screen" reviewed in "Emailing Files" section. You can refer to this section for more information about emailing files.




Figure 106

- (5) **"Delete Selected Button"**: This button is used to delete selected opportunity files from current opportunity (Figure 102-5). To use this button, you need to select one or more files using "Select Single Item" or "Select All" options. After making selections and clicking the "Delete Selected" button, you'll be warned if you are sure or not (Figure 107-A). Select "Yes" to delete, "Cancel" to cancel. If you do not make any selection and click "Delete Selected" button, you'll get an error message (Figure 107-B). If you click "Yes", delete process will start.




Figure 107



Notes

1. If versioning is enabled and selected file has versions, all versions of selected file will also be deleted.
- (6) **"Current Folder Information Holder"**: Used to display where the current files/folder are in the hierarchy (Figure 102-6). You can click folders above to go to that folder.
- (7) **"Select All Option"**: Used to select all opportunity files/folders for deletion/email etc. (Figure 102-7).
- (8) **"Select Single Item Option"**: Used to select single opportunity file/folder for deletion/email etc. (Figure 102-8).

(9) **"Actions Column"**: Contains "Item Actions" button. Once you click "Item Actions" button, dropdown is opened with list of item menu actions (Figure 102-9).

"Download": Used to download selected opportunity file. After clicking this link you'll be warned to select the target location for download. Then you'll be able to download the selected file.

"Copy URL": Used to copy the URL of the selected opportunity file. After clicking this link a popup will appear along with the URL of the selected file (Figure 108). First you need to click the "Select URL" button; this will highlight the URL, then right click the highlighted text and select "Copy" from the menu to copy the link to the clipboard (Figure 109).




Figure 108





Figure 109

"Edit": Used to edit fields of a selected file/folder. After clicking this link; a new pop-up will be opened (Figure 110) and you'll be able to edit current opportunity file's/folder's editable fields. Edit the fields, then click "Save". After clicking "Save", edit process will start. You can click "Cancel" to cancel the edit operation.



The form is titled "Edit" and contains the following fields:

- Description: A text box containing the word "Example".
- TestDate: A date picker showing "8/12/2011" with a calendar icon.
- TestURL: A text box containing "www.cyangate.com".
- TestCheckbox: A checked checkbox.

At the bottom right, there are "Save" and "Cancel" buttons.

Figure 110


"Rename": This option is displayed for both files and folders. You can rename file/folder by clicking this action menu item. See "Renaming Files & Folders" section for more information.

"Delete": Used to delete selected opportunity file/folder. After clicking this link, you'll get a warning message (Figure 107-A). Select "Yes" to delete the file/folder, "Cancel" to cancel. If you click "Yes", delete process will start. Note that you cannot delete folders that contain files or subfolders.



1. If you enabled versioning and have versions under the file, all version files will also be deleted.

"Upload New Version": *[This feature requires enabling versioning on the organization. Refer to the S-Drive Installation Guide to enable Versioning for your organization.]* You can upload new version of file by clicking "Item Actions" button under "Actions" column and selecting **"Upload New Version"** action menu item from dropdown for individual files. (Figure 111). Only HTML Upload Manager supports version upload.



The screenshot shows a table of files with columns for file name, date, user, and size. A dropdown menu is open over the first file, showing the following options:

- Download
- Open
- Copy URL
- Edit
- Rename
- Share
- Delete
- Upload New Version
- Previous Versions

A red arrow points to the "Upload New Version" option.

File Name	Date	User	Size
sdrivetest (1).png	08/02/2016 13:09	Ozgur Ozgur	768 bytes
sdrivetest (10).png	08/02/2016 13:10	Ozgur Ozgur	768 bytes
sdrivetest (100).png	08/02/2016 13:12	Ozgur Ozgur	768 bytes
sdrivetest (101).png	08/02/2016 13:12	Ozgur Ozgur	768 bytes
sdrivetest (102).png	08/02/2016 13:12	Ozgur Ozgur	768 bytes
sdrivetest (103).png	08/02/2016 13:12	Ozgur Ozgur	768 bytes

Figure 111

"Previous Versions": *[This feature requires enabling versioning on the organization. Refer to the S-Drive Installation Guide to enable Versioning for your organization.]* You can see previous versions of file by clicking "Item Actions" button under "Actions" column and selecting **"Previous Versions"** action menu item from dropdown for individual files. (Figure 112).

Item Actions	File Name	Created Date	Created By	File Size
Download	sdrivetest (18).png	10/02/2016 13:39	Ozgur Ozgur	768 bytes
Open	sdrivetest (2).png	10/02/2016 13:39	Ozgur Ozgur	768 bytes
Copy URL	sdrivetest (3).png	10/02/2016 13:39	Ozgur Ozgur	768 bytes
Edit	sdrivetest (4).png	10/02/2016 13:39	Ozgur Ozgur	768 bytes
Rename	sdrivetest (5).png	10/02/2016 13:39	Ozgur Ozgur	768 bytes
Share	sdrivetest (6).png	10/02/2016 13:39	Ozgur Ozgur	768 bytes
Delete	sdrivetest (7).png	10/02/2016 13:39	Ozgur Ozgur	768 bytes
Upload New Version				
Previous Versions				

Figure 112

"Set Current": You can set a version as the latest version by clicking "Item Actions" button under "Actions" column and selecting "Set Current" action menu item from dropdown for individual files in Versions screen. When you click Set Current, selected old version will be set as the latest version of the file (Figure 113).

Actions	T	File Name	Created Date	Created By ID	Description	Version Description	File Size
Item Actions		sdrivetest (18).png (Current)	10/02/2016 13:39	Ozgur Ozgur			768 bytes
Item Actions		sdrivetest (1).png	10/02/2016 13:39	Ozgur Ozgur			768 bytes

Figure 113

You will be able to apply Download, Open, Copy URL, Edit, Rename, Delete actions for individual version files also. These actions are same as the other item actions explained above.

(10) "Content Type Column": Displays a type icon based on the content type of the opportunity file/folder (Figure 102-10).

(11) "File Name Column": File name information for the opportunity files (Figure 102-11). You can sort files/folder ascending or descending by clicking the field header.

(12) "Customizable Field Columns": These sections are used to display customizable fields (Figure 102-12). Your Salesforce.com account's system administrator can change this customizable list using "S-Drive Configuration" page. If nothing is configured you'll see "File Size", "Created Date", "Created By ID", "Description" and "File Size" columns by default. You can sort files/folder ascending or descending by clicking the field header if sorting is allowed for that field type.

(13) "Total Items / Pagination": Displays total items in selected folder and pagination if numbers of items are greater than the configured pagination number (Figure 102-13). If item (file/folder) count in a folder is greater than 100 (configurable), items are displayed with pagination and total items are displayed next to the page numbers (Figure 86). Total items include only current folder items, not subfolder items. For example, if there are 108 items in the folder, first 100

items will be displayed in first page and last 8 items will be displayed in the 2nd page. Pagination section is displayed in two places: Next to the search box and at the right-bottom corner of the file list.

(14)"Search Box": You can search for files and folders inside S-Drive Attachments (Figure 102-14 and Figure 87). To start a search, type the search criteria to the right corner of S-Drive Attachments section, into the search box and click Enter. You can use wildcards, '*' (multiple characters), '?' (single character)' in search keywords. For example: *exam**, *boo?* etc. Results are displayed in the same section with a '*X Result(s) Found*' header and some buttons are disabled in the search results screen. You can go back to home by clicking '*Back to Home*' link on the left of the screen.



1.You cannot delete an opportunity which has opportunity files attached. You'll get an error message if you try to delete this kind of opportunity (Figure 114). You need to delete opportunity files first, and then you can delete the opportunity.




Figure 114

4. Case Files

After installing S-Drive, if you made the configuration correctly you'll be able to create case files in "Cases" tab for each case easily. Go to your "Cases" tab, select a case from the list (or create a new case). If you can see the "Case Files" page block in the current case's page, you can keep on reading (Figure 115). Otherwise please consult to the "S-Drive Installation Guide" to activate "Case Files" section.




Figure 115

- (1) **"New Folder Button"**: This button is used to create new folders (Figure 115-1). When you click the button, "New Folder" screen will be opened and you'll be able to create a folder by typing its name (mandatory) and description (optional). You can create the folder by clicking "Create" button (Figure 116).




Figure 116

- (2) **"Upload File(s) Button"**: This button is used to add case files to this case (Figure 115-2). After clicking this button "Upload Files" screen will be initialized. After initialization finishes, for the first time it will welcome you with a message: "Welcome to the Upload Page. Click OK to start uploading files." (Figure 117).

After clicking OK, you can select files to upload. This screen is similar to the "Upload Screen" reviewed in "Uploading Files" section. You can refer to this section for more information about uploading files.




Figure 117

- (3) **"Attach from S-Drive Folders Button"**: This button is used to attach files from S-Drive Folders to this case (Figure 115-3). After clicking this button "S-Drive Folders" screen will be initialized. There will be two extra buttons above the "current folder information holder" text to attach files to this case (Figure 118-A). You need to select file(s) to attach, and then click "Attach File(s)" button to start attaching. Attaching is a copy operation, so a new copy of the file will be created once attach is completed.

You can see the attach progress, once you click "Attach File(s)" button (Figure 118-B). After completion of the attach process, you'll be asked: "Attach completed. Do you want to attach more files?" If you select "Yes", message will be closed and you can select more files to attach. If you select "No", page will be closed and you'll be redirected to the case page (Figure 118-C). "Cancel Attach" button also redirects you to the case page. You can cancel the attach process while it is in progress by clicking "Cancel" button in the progress screen. "Attach from S-Drive Folders" button is not available for customer portal users.




Figure 118



1. If versioning is enabled and selected file has versions, only latest version of the file will be attached.

(4) **"Email Selected Button"**: This button is used to email selected case files (Figure 115-4). To use this button, you need to select one or more files using "Select Single Item" or "Select All" options. If you do not select any files and click "Email Selected" button, you'll get a warning message saying *"Please select file(s) to email!"* (Figure 119). After making selections and clicking the "Email Selected" button, "Email Files" screen will be opened. This screen is similar to the "Email Screen" reviewed in "Emailing Files" section. You can refer to this section for more information about emailing files.




Figure 119

(5) **"Delete Selected Button"**: This button is used to delete selected case files from current case (Figure 115-5). To use this button, you need to select one or more files using "Select Single Item" or "Select All" options. After making selections and clicking the "Delete Selected" button, you'll be warned if you are sure or not (Figure 120-A). Select "Yes" to delete, "Cancel" to cancel. If you do not make any selection and click "Delete Selected" button, you'll get an error message (Figure 120-B). If you click "Yes", delete process will start.




Figure 120



1. If versioning is enabled and selected file has versions, all versions of selected file will also be deleted.

(6) **"Current Folder Information Holder"**: Used to display where the current files/folder are in the hierarchy (Figure 115-6). You can click folders above to go to that folder.

(7) **"Select All Option"**: Used to select all case files/folders for deletion/email etc. (Figure 115-7).

(8) **"Select Single Item Option"**: Used to select single case file/folder for deletion/email etc. (Figure 115-8).

(9) **"Actions Column"**: Contains "Item Actions" button. Once you click "Item Actions" button, dropdown is opened with list of item menu actions (Figure 115-9).

"Download": Used to download selected case file. After clicking this link you'll be warned to select the target location for download. Then you'll be able to download the selected file.

"Copy URL": Used to copy the URL of the selected case file. After clicking this link a popup will appear along with the URL of the selected file (Figure 121). First you need to click the "Select URL" button; this will highlight the URL, then right click the highlighted text and select "Copy" from the menu to copy the link to the clipboard (Figure 122).




Figure 121




Figure 122

"Edit": Used to edit fields of a selected file/folder. After clicking this link; a new pop-up will be opened (Figure 123) and you'll be able to edit current case file's/folder's editable fields. Edit the fields, then click "Save". After clicking "Save", edit process will start. You can click "Cancel" to cancel the edit operation.




Figure 123


"Rename": This option is displayed for both files and folders. You can rename file/folder by clicking this action menu item. See "Renaming Files & Folders" section for more information.

"Delete": Used to delete selected case file/folder. After clicking this link, you'll get a warning message (Figure 120-A). Select "Yes" to delete the file/folder, "Cancel" to cancel. If you click "Yes", delete process will start. Note that you cannot delete folders that contain files or subfolders.



1. If versioning is enabled and selected file has versions, all versions of selected file will also be deleted.


"Upload New Version": *[This feature requires enabling versioning on the organization. Refer to the S-Drive Installation Guide to enable Versioning for your organization.]* You can upload new version of file by clicking "Item Actions" button under "Actions" column and selecting **"Upload New Version"** action menu item from dropdown for individual files. (Figure 124). Only HTML Upload Manager supports version upload.



Item Actions	File Name	Date/Time	User	Size
	sdrivetest (1).png	08/02/2016 13:09	Ozgur Ozgur	768 bytes
	sdrivetest (10).png	08/02/2016 13:10	Ozgur Ozgur	768 bytes
	sdrivetest (100).png	08/02/2016 13:12	Ozgur Ozgur	768 bytes
	sdrivetest (101).png	08/02/2016 13:12	Ozgur Ozgur	768 bytes
	sdrivetest (102).png	08/02/2016 13:12	Ozgur Ozgur	768 bytes
	sdrivetest (103).png	08/02/2016 13:12	Ozgur Ozgur	768 bytes
	sdrivetest (104).png	08/02/2016 13:12	Ozgur Ozgur	768 bytes

Figure 124

"Previous Versions": *[This feature requires enabling versioning on the organization. Refer to the S-Drive Installation Guide to enable Versioning for your organization.]* You can see previous versions of file by clicking "Item Actions" button under "Actions" column and selecting **"Previous Versions"** action menu item from dropdown for individual files. (Figure 125).



Item Actions	File Name	Date/Time	User	Size
	sdrivetest (18).png	10/02/2016 13:39	Ozgur Ozgur	768 bytes
	sdrivetest (2).png	10/02/2016 13:39	Ozgur Ozgur	768 bytes
	sdrivetest (3).png	10/02/2016 13:39	Ozgur Ozgur	768 bytes
	sdrivetest (4).png	10/02/2016 13:39	Ozgur Ozgur	768 bytes
	sdrivetest (5).png	10/02/2016 13:39	Ozgur Ozgur	768 bytes
	sdrivetest (6).png	10/02/2016 13:39	Ozgur Ozgur	768 bytes
	sdrivetest (7).png	10/02/2016 13:39	Ozgur Ozgur	768 bytes

Figure 125

"Set Current": You can set a version as the latest version by clicking "Item Actions" button under "Actions" column and selecting **"Set Current"** action menu item from dropdown for individual files in Versions screen. When you click Set Current, selected old version will be set as the latest version of the file (Figure 126).



Figure 126

You will be able to apply Download, Open, Copy URL, Edit, Rename, Delete actions for individual version files also. These actions are same as the other item actions explained above.

(10)"Content Type Column": Displays a type icon based on the content type of the case file/folder (Figure 115-10).

(11)"File Name Column": File name information for the case files (Figure 115-11). You can sort files/folder ascending or descending by clicking the field header.

(12) "Customizable Field Columns": These sections are used to display customizable fields (Figure 115-12). Your Salesforce.com account's system administrator can change this customizable list using "S-Drive Configuration" page. If nothing is configured you'll see "File Size", "Created Date", "Created By ID", "Description" and "File Size" columns by default. You can sort files/folder ascending or descending by clicking the field header if sorting is allowed for that field type.

(13)"Total Items / Pagination": Displays total items in selected folder and pagination if number of items are greater than the configured pagination number (Figure 115-13). If item (file/folder) count in a folder is greater than 100 (configurable), items are displayed with pagination and total items are displayed next to the page numbers (Figure 86). Total items include only current folder items, not subfolder items. For example, if there are 108 items in the folder, first 100 items will be displayed in first page and last 8 items will be displayed in the 2nd page. Pagination section is displayed in two places: Next to the search box and at the right-bottom corner of the file list.

(14)"Search Box": You can search for files and folders inside S-Drive Attachments (Figure 115-14 and Figure 87). To start a search, type the search criteria to the right corner of S-Drive Attachments section, into the search box and click Enter. You can use wildcards, '*' (multiple characters), '?' (single character) in search keywords. For example: *exam**, *boo?* etc. Results are displayed in the same section with a '*X Result(s) Found*' header and some buttons are disabled in the search results screen. You can go back to home by clicking '*Back to Home*' link on the left of the screen.

(15) **"Private"**: This checkbox is used to determine if the individual S-Drive attachment will be visible to the customer portal users (Figure 115-15). If the attachment is set to private, customer portal users won't be able to see the private file. File can be set to private/public in Upload Screen before uploading or anytime from Edit Screen. See *"S-Drive Advanced Configuration Guide – Creating Custom Object Files"* section for more information about the public/private flag.

(16)



1. You cannot delete a case which has case files attached. You'll get an error message if you try to delete this kind of case (Figure 127). You need to delete case files first, and then you can delete the case.




Figure 127

2. You can use "Case Files" feature from "Customer Portal" also. After making required configuration for customer portal (See *S-Drive Advanced Configuration Guide* for more information), your customers can add case files to cases using "Customer Portal Interface" (Figure 128).

Case Files		Upload File	Delete Selected			
<input type="checkbox"/>	Actions	File Name	File Size	Created By	Created Date	Description
<input type="checkbox"/>	Download Edit Del	Demo Document.txt	15 bytes	Bulent Dogan	8/21/2009 6:30 AM	

Figure 128

5. Other Standard/Custom Object Files

You can use "files" for standard/custom objects other than Accounts, Contacts, Opportunities, and Cases easily. Go to your object's tab, select an object from the list (or create a new object). If you can see the "<Your Object Name> Files" page block in the current object's page, you can keep on reading (Figure 129). Otherwise please consult to the "S-Drive Advanced Configuration Guide" to activate "<Your Object Name> Files" section.




Figure 129

- (1) **"New Folder Button"**: This button is used to create new folders (Figure 129-1). When you click the button, "New Folder" screen will be opened and you'll be able to create a folder by typing its name (mandatory) and description (optional). You can create the folder by clicking "Create" button. Also note that all fields related to custom object will be displayed in the new folder creation screen (Figure 130).




Figure 130

- (2) **"Upload File(s) Button"**: This button is used to add object files to this object (Figure 129-2). After clicking this button "Upload Files" screen will be initialized. After initialization finishes, for the first time it will welcome you with a message: "Welcome to the Upload Page. Click OK to start uploading files." (Figure 131).

After clicking OK, you can select files to upload. This screen is similar to the "Upload Screen" reviewed in "Uploading Files" section. You can refer to this section for more information about uploading files.




Figure 131

- (3) **"Attach from S-Drive Folders Button"**: This button is used to attach files from S-Drive Folders to this object (Figure 129-3). After clicking this button "S-Drive Folders" screen will be initialized. There will be two extra buttons above the "current folder information holder" text to attach files to this object (Figure 132-A). You need to select file(s) to attach, and then click "Attach File(s)" button to start attaching. Attaching is a copy operation, so a new copy of the file will be created once attach is completed.

You can see the attach progress, once you click "Attach File(s)" button (Figure 132-B). After completion of the attach process, you'll be asked: "Attach completed. Do you want to attach more files?" If you select "Yes", message will be closed and you can select more files to attach. If you select "No", page will be closed and you'll be redirected to the object page (Figure 132-C). "Cancel Attach" button also redirects you to the object page. You can cancel the attach process while it is in progress by clicking orange close button on the bottom-right corner of the progress screen. "Attach from S-Drive Folders" button is not available for customer portal users.




Figure 132



Notes

1. If versioning is enabled and selected file has versions, only latest version of the file will be attached.

- (4) **"Email Selected Button"**: This button is used to email selected object files (Figure 129-4). To use this button, you need to select one or more files using "Select Single Item" or "Select All" options. If you do not select any files and click "Email Selected" button, you'll get a warning message saying *"Please select file(s) to email!"* (Figure 133). After making selections and clicking the "Email Selected" button, "Email Files" screen will be opened. This screen is similar to the "Email Screen" reviewed in "Emailing Files" section. You can refer to this section for more information about emailing files.




Figure 133

- (5) **"Delete Selected Button"**: This button is used to delete selected object files from current object (Figure 129-5). To use this button, you need to select one or more files using "Select Single Item" or "Select All" options. After making selections and clicking the "Delete Selected" button, you'll be warned if you are sure or not (Figure 134-A). Select "Yes" to delete, "Cancel" to cancel. If you do not make any selection and click "Delete Selected" button, you'll get an error message (Figure 134-B). If you click "Yes", delete process will start.




Figure 134



1. If versioning is enabled and selected file has versions, all versions of selected file will also be deleted.

- (6) **"Current Folder Information Holder"**: Used to display where the current files/folder are in the hierarchy (Figure 129-6). You can click folders above to go to that folder.
- (7) **"Select All Option"**: Used to select all object files/folders for deletion/email etc. (Figure 129-7).
- (8) **"Select Single Item Option"**: Used to select single object file/folder for deletion/email etc. (Figure 129-8).
- (9) **"Actions Column"**: Contains "Item Actions" button. Once you click "Item Actions" button, dropdown is opened with list of item menu actions (Figure 129-9).

"Download": Used to download selected object file. After clicking this link you'll be warned to select the target location for download. Then you'll be able to download the selected file.

"Copy URL": Used to copy the URL of the selected object. After clicking this link a popup will appear along with the URL of the selected file (Figure 135). First you need to click the "Select URL" button; this will highlight the URL, then right click the highlighted text and select "Copy" from the menu to copy the link to the clipboard (Figure 136).




Figure 135




Figure 136

"Edit": Used to edit fields of a selected file/folder. After clicking this link; a new pop-up will be opened (Figure 137) and you'll be able to edit current object file's/folder's editable fields. Edit the fields, then click "Save". After clicking "Save", edit process will start. You can click "Cancel" to cancel the edit operation.




Figure 137

"Delete": Used to delete selected object file/folder. After clicking this link, you'll get a warning message (Figure 134-A). Select "Yes" to delete the file/folder, "Cancel" to cancel. If you click

"Yes", delete process will start. Note that you cannot delete folders that contain files or subfolders.



1. If versioning is enabled and selected file has versions, all versions of selected file will also be deleted.

"Upload New Version": You can upload new version of file by clicking "Item Actions" button under "Actions" column and selecting **"Upload New Version"** action menu item from dropdown for individual files. (Figure 138). Only HTML Upload Manager supports version upload.




Figure 138

"Previous Versions": You can see previous versions of file by clicking "Item Actions" button under "Actions" column and selecting **"Previous Versions"** action menu item from dropdown for individual files (Figure 139). First, you should enable version upload from S-Drive Configuration Tab to see "Previous Versions" item in menu. Once you enable versioning, you can't disable it.




Figure 139

"Set Current": You can set a version as the latest version by clicking "Item Actions" button under "Actions" column and selecting **"Set Current"** action menu item from dropdown for individual files in Versions screen. When you click Set Current, selected old version will be set as the latest version of the file (Figure 140).



Figure 140

(10)"Content Type Column": Displays a type icon based on the content type of the custom object file/folder files (Figure 129-10).

(11)"File Name Column": File name information for the object files (Figure 129-11). You can sort files/folder ascending or descending by clicking the field.

(12) "Customizable Field Columns": These sections are used to display customizable fields (Figure 129-12). Your Salesforce.com account's system administrator can change this customizable list using "S-Drive Configuration" page. If nothing is configured you'll see "File Size", "Created Date", "Created By ID", "Description" and "File Size" columns by default. You can sort files/folder ascending or descending by clicking the field header if sorting is allowed for that field type.

(13)"Total Items / Pagination": Displays total items in selected folder and pagination if numbers of items are greater than the configured pagination number (Figure 129-13). If item (file/folder) count in a folder is greater than 100 (configurable), items are displayed with pagination and total items are displayed next to the page numbers (Figure 86). Total items include only current folder items, not subfolder items. For example, if there are 108 items in the folder, first 100 items will be displayed in first page and last 8 items will be displayed in the 2nd page. Pagination section is displayed in two places: Next to the search box and at the right-bottom corner of the file list.

(14)"Search Box": You can search for files and folders inside S-Drive Attachments (Figure 129-14 and Figure 87). To start a search, type the search criteria to the right corner of S-Drive Attachments section, into the search box and click Enter. You can use wildcards, '*' (multiple characters), '?' (single character) in search keywords. For example: *exam**, *boo?* etc. Results are displayed in the same section with a '*X Result(s) Found*' header and some buttons are disabled in the search results screen. You can go back to home by clicking '*Back to Home*' link on the left of the screen.

(15) "Private": This checkbox is used to determine if the individual S-Drive attachment will be visible to the customer portal users (Figure 129-15). If the attachment is set to private, customer portal users won't be able to see the private file. File can be set to private/public in Upload Screen before uploading or anytime from Edit Screen. See "*S-Drive Advanced Configuration Guide—Creating Custom Object Files*" section for more information about the public/private flag.

(16) **"Download Manager"**: This button is used to download files using Download Manager (Figure 129-16). See *"Download Manager Download"* section for more information about download manager.



1. If your system administrator set a before delete trigger for your object you cannot delete an object which has object files attached. You'll get an error message if you try to delete this kind of object (Figure 141). You need to delete object files first, and then you can delete the object.




Figure 141

2. You can use "<Your Object Name> Files" feature from "Customer Portal" also. After making required configuration for customer portal (See *S-Drive Advanced Configuration Guide* and *S-Drive Customer Portal Guide* for more information), your customers can add object files to your objects using "Customer Portal Interface".

T. S-Drive Advanced Search


S-Drive Advanced Search is a new feature of S-Drive that helps to perform improved search functionality in object files. AdvancedSearchPage and AdvancedSearchComponent created for that. You can use AdvancedSearchComponent with your own VF pages. You can access to this feature using S-Drive Advanced Search tab.

1. Searching Files

S-Drive Advanced Search needs following criteria to perform a search;

- **Object:** This represents the S-Drive Object to select. Search will be performed on selected object. E.g. Account, Case.
- **Object File:** This represents the S-Drive Object File to select. Search will be performed on selected object file. E.g. Account File, Case File.
- **Parent Object Field (Optional):** This represents a field of selected parent S-Drive object. If you select a parent object field, you can see that in Results table. E.g. Case Number, Origin.
- **Search Keyword:** This represents the keyword to perform a search. Search will be performed in all fields of selected object file for entered keyword.

You can click on the “Search” button to perform a search. After a successful search, the results will be displayed on screen (Figure 142).



The screenshot displays the S-Drive Advanced Search interface. At the top, there's a tab labeled "S-Drive Advanced Search". Below it, the "Search criteria" section includes dropdown menus for "Object" (set to "Case"), "Object Files" (set to "Case File"), "Parent Object Field" (set to "CaseNumber"), and a "Search Keyword" field containing "genre". A "Search" button is located to the right of these fields.

The "Results" section shows a table with 10 items. Above the table, there are buttons for "Email Selected" and "Delete Selected", and a "Page divider" indicating "Page: 1 2". The table has columns for "Actions", "File Name", "Created Date", "Created By ID", "File Size", "Description", "Folder Path", and "CaseNumber (Case)".

Actions	File Name	Created Date	Created By ID	File Size	Description	Folder Path	CaseNumber (Case)
<input type="checkbox"/> Item Actions	genre-classics.jpg	24/05/2016 08:46	SDrive Test	68.14 KB	Image Description	Home/123	00001000
<input type="checkbox"/> Item Actions	genre-classicT.jpg	24/05/2016 08:46	SDrive Test	54.82 KB		Click to View Folder Path	00001000
<input type="checkbox"/> Item Actions	genre-comedy.jpg	24/05/2016 08:46	SDrive Test	81.89 KB		Click to View Folder Path	00001000
<input type="checkbox"/> Item Actions	genre-country.jpg	24/05/2016 08:46	SDrive Test	94.52 KB	Sample Description	Home/123	00001000
<input type="checkbox"/> Item Actions	genre-health.jpg	24/05/2016 08:48	SDrive Test	107.78 KB		Home/123/456/788/555	00001000
<input type="checkbox"/> Item Actions	genre-soundtrack.jpg	24/05/2016 11:17	SDrive Test	47.18 KB		Click to View Folder Path	00001001
<input type="checkbox"/> Item Actions	genre-sports.jpg	24/05/2016 11:17	SDrive Test	100.32 KB		Click to View Folder Path	00001001
<input type="checkbox"/> Item Actions	genre-teens.jpg	24/05/2016 11:18	SDrive Test	59.01 KB		Click to View Folder Path	00001001
<input type="checkbox"/> Item Actions	genre-thriller.jpg	24/05/2016 11:18	SDrive Test	63.64 KB		Click to View Folder Path	00001001
<input type="checkbox"/> Item Actions	genre-vocal.jpg	24/05/2016 11:18	SDrive Test	139.88 KB		Home	00001001

At the bottom of the results section, there are buttons for "Email Selected" and "Delete Selected".

Figure 142

Item Actions

1- Downloading Files

You can download a file by clicking "**Download**" item menu action under the "Item Actions" button (Figure 143).




Figure 143

2- Opening Files

You can open a file by clicking "**Open**" item menu action under the "Item Actions" button (Figure 144).




Figure 144

3- Copy URL

You can Copy URL of a file by clicking "**Copy URL**" item menu action under the "Item Actions" button (Figure 145). After clicking Copy URL, you can select full URL and copy it (Figure 146).




Figure 145




Figure 146

4- Editing Files

You can edit a file by clicking **"Edit"** item menu action under the "Item Actions" button (Figure 147). After clicking Edit, you can edit Description of file and save it. (Figure 148).




Figure 147




Figure 148

Note: If versioning is enabled and if you are displaying previous versions, you can also edit version description for version files.

5- Deleting Files

You can delete a file by clicking "**Delete**" item menu action under the "Item Actions" button (Figure 149).




Figure 149

Note: If versioning is enabled and if you delete latest version, all previous versions will also be deleted.

6- Previous Versions

You can display previous versions of files by clicking "**Previous Versions**" item menu action under the "Item Actions" button (Figure 150). After clicking on it, version history of the file will be listed (Figure 151).






Figure 150

Results

Email SelectedDelete Selected

Total Items: 2

[Back to Home](#) Versions of genre-alternative - v2 .jpg

<input type="checkbox"/>	Actions	T	File Name	Created Date	Created By ID	File Size	Description	Version Description	CaseNumber (Case)
<input type="checkbox"/>	Item Actions		genre-alternative - v2.jpg (Current)	07/04/2016 13:56	Serhat Alkin	103.29 KB			00001026
<input type="checkbox"/>	Item Actions		genre-alternative.jpg	07/04/2016 12:25	Serhat Alkin	113.24 KB			00001026

Download

Open

Copy URL

Edit

Delete

Email SelectedDelete Selected

Figure 151

You can also Download, Open, Copy URL, Edit and Delete version files.

Note: You can edit Description and Version Description in “Previous Versions” screen. Also, if you delete Current Version on this screen, most recent file will be set as current.

Email Selected and Delete Selected

You can select one or multiple files by using checkboxes in results table and you can Email these files by clicking “Email Selected” button.

You can select one or multiple files by using checkboxes in results table and you can Delete these files by clicking “Delete Selected” button.

Results

Email SelectedDelete Selected

Total Items: 103

Page: 12







<input type="checkbox"/>	Actions	T	File Name	Created Date	Created By ID	File Size	Description	Folder Path	CaseNumber (Case)
<input checked="" type="checkbox"/>	Item Actions		 genre-rb.jpg	07/04/2016 12:25	Serhat Alkin	36.98 KB		Home	00001026
<input checked="" type="checkbox"/>	Item Actions		 genre-comedy.jpg	07/04/2016 13:13	Serhat Alkin	81.89 KB		Home/SampleFolder	00001026
<input checked="" type="checkbox"/>	Item Actions		 genre-dance.jpg	07/04/2016 12:30	Serhat Alkin	78.75 KB		Home	00001026
<input type="checkbox"/>	Item Actions		 genre-country.jpg	07/04/2016 12:30	Serhat Alkin	94.52 KB		Home	00001026
<input type="checkbox"/>	Item Actions		 genre-folk.jpg	07/04/2016 12:27	Serhat Alkin	64.06 KB		Home	00001026
<input checked="" type="checkbox"/>	Item Actions		 genre-history.jpg	07/04/2016	Serhat Alkin	69.73 KB		Home	00001026

Figure 152

Navigation

You can display the Folder Path of a file by clicking on the “Click to View Folder Path” link and then you can click on the Folder Path to navigate to this folder in a new tab. You can also click on the Parent Object Field (E.g CaseNumber) to navigate to this parent record in a new tab (Figure 153). “Previous Versions” screen doesn’t support “Folder Path” column.



Actions	T	File Name ▲	Created Date	Created By ID	File Size	Description	Folder Path	CaseNumber (Case)
Item Actions ▼		genre-classics.jpg	24/05/2016 08:46	SDrive Test	68.14 KB	Image Description	Home/123	00001000
Item Actions ▼		genre-classicT.jpg	24/05/2016 08:46	SDrive Test	54.82 KB		Click to View Folder Path	00001000

Figure 153

2. Configuring S-Drive Advanced Search Component

S-Drive Advanced Search feature has been designed as dynamic and reusable. So, you can configure AdvancedSearchComponent. Below, you can see the attributes of AdvancedSearchComponent;

```
<apex:attribute name="searchCriteria" description="Criteria of the search." access="global"
type="String" required="required" assignTo="{!searchCriteriaAT}"/>
```

```
<apex:attribute name="customObjectName" description="API Name of the custom object that the
files will belong to. This object can also be one of the standard objects such as Solutions or Products. For
example: 'MyObject__c' or 'Solution'" access="global" type="String" required="required"
assignTo="{!customObjectNameAT}"/>
```

```
<apex:attribute name="customField" description="This represents a field of parent S-Drive object. If
you pass a parent object field, you can see this field in Results table. E.g. Case Number, Origin."
access="global" type="String" required="required" assignTo="{!customFieldAT}"/>
```

```
<apex:attribute name="customObjectFileName" description="API Name of the custom object that will
represent the file. This custom file object is required to include fields indicated in the installation guide
of S-Drive. For example: 'MyFile__c'" access="global" type="String" required="required"
assignTo="{!customObjectFileNameAT}"/>
```

```
<apex:attribute name="fileNamespacePrefix" description="Namespace prefix for the file object. This
attribute is required if the object has a namespace. For example: 'cg__'" access="global" type="String"
required="optional" assignTo="{!fileNamespacePrefixAT}" default=""/>
```

```
<apex:attribute name="objectNamespacePrefix" description="Namespace prefix for the parent object
for the attachments. This attribute is required if the object has a namespace. For example: 'cg__'"
access="global" type="String" required="optional" assignTo="{!objectNamespacePrefixAT}" default=""/>
```

```
<apex:attribute name="relationshipName" description="Master-detail relation used for selected
standard/custom object. For example: 'Parent__r'" access="global" type="String" required="required"
assignTo="{!relationshipNameAT}" default=""/>
```

```
<apex:attribute name="orderBy" description="Name of the field that should be used to order the list
of files. This attribute is optional and leaving this empty will not order the results in any specific order.
For example: 'File_Name__c'" access="global" type="String" required="optional"
assignTo="{!orderByAT}" default=""/>
```

```
<apex:attribute name="pageSize" description="Page size for pagination. Attachment items will be
paginated based on this value. This attribute is optional and default value is 100." access="global"
type="Integer" required="optional" assignTo="{!pageSizeAT}" default="100"/>
```

```
</apex:component>
```


AdvancedSearchPage is used to pass customObjectName(Object), customObjectFileName(Object File), customField(Parent Object Field) and searchCriteria (Search Keyword) attributes into AdvancedSearchComponent using a user interface. You can embed AdvancedSearchComponent into a different VF Page, you can pass your info into component attributes.

Sample use of AdvancedSearchComponent in a VisualForce page;

```
<apex:page>
```

```
<apex:form>
```

```
<cg:AdvancedSearchComponent
```

```
    searchCriteria="genre"
```

```
    customField="Origin"
```

```
    customObjectName="Case"
```

```
    customObjectFileName="CaseFile__c"
```

```
    fileNamespacePrefix="cg__"
```

```
    objectNamespacePrefix="cg__"
```

```
    relationshipName="Case__r"
```

```
    orderBy="File_Name__c"
```

```
/>
```

```
</apex:form>
```

```
</apex:page>
```

Sample Output (Figure 154);

Search is successful.

Results

Email Selected Delete Selected

Total Items: 16

<input type="checkbox"/>	Actions	T	File Name ^	Created Date	Created By ID	File Size	Description	Folder Path	Origin (Case)
<input type="checkbox"/>	Item Actions		genre-books.jpg	3/31/2016 8:42 AM	CyanGate CyanGate	83.27 KB		Home	Web
<input type="checkbox"/>	Item Actions		genre-business.jpg	3/31/2016 8:42 AM	CyanGate CyanGate	67.74 KB	test	Home	Web
<input type="checkbox"/>	Item Actions		genre-classicT.jpg	3/31/2016 8:43 AM	CyanGate CyanGate	54.82 KB		Home	Web
<input type="checkbox"/>	Item Actions		genre-country.jpg	3/31/2016 8:43 AM	CyanGate CyanGate	94.52 KB		Home	Web
<input type="checkbox"/>	Item Actions		genre-humanities.jpg	3/31/2016 8:42 AM	CyanGate CyanGate	55.72 KB		Home/testfolder	Email
<input type="checkbox"/>	Item Actions		genre-independent.jpg	3/31/2016 8:42 AM	CyanGate CyanGate	82.89 KB		Home/testfolder	Email
<input type="checkbox"/>	Item Actions		genre-jazz.jpg	3/31/2016 8:42 AM	CyanGate CyanGate	59.48 KB		Home/testfolder	Email
<input type="checkbox"/>	Item Actions		genre-jpop.jpg	3/31/2016 8:42 AM	CyanGate CyanGate	67.49 KB		Home/testfolder	Email
<input type="checkbox"/>	Item Actions		genre-kayokyoku.jpg	3/31/2016 8:42 AM	CyanGate CyanGate	58.86 KB		Home/testfolder	Email
<input type="checkbox"/>	Item Actions		genre-kids.jpg	3/31/2016 8:43 AM	CyanGate CyanGate	73.04 KB		Home/testfolder	Email
<input type="checkbox"/>	Item Actions		genre-romance.jpg	3/31/2016 8:42 AM	CyanGate CyanGate	59.39 KB		Home	Email
<input type="checkbox"/>	Item Actions		genre-science.jpg	3/31/2016 8:42 AM	CyanGate CyanGate	82.11 KB		Home	Email
<input type="checkbox"/>	Item Actions		genre-scifi.jpg	3/31/2016 8:42 AM	CyanGate CyanGate	71.56 KB		Home	Email

Figure 154

U. SDriveTools API

You can use SDriveTools API calls for programmatically interacting with S-Drive Attachments.

a. getAttachmentURL()

This method is used to get the URL of an S-Drive Attachment.

```
String getAttachmentURL(String parentId, String fileId,
    Long timeValue)
```

Parameters:

parentId: Id of the parent object. You can use 15-character id or 18-character id.

fileId: Id of the attachment (file) object. This can be retrieved using an SOQL query. An example can be found in following sections.

timeValue: Expiration time of the link in seconds.

Return Value: The method will return the URL of the S-Drive attachment.

Our example is about retrieving an image file from S-Drive Account Attachments and displaying it inside Account Page Layout. You can customize SOQL call and other options similar to the example.

1. First override Accounts View button with Account Files Page to upload a JPG image file to S-Drive Account Attachments. (Figure 155)




Figure 155

2. Upload a jpg image file into one of your accounts using Upload File(s) button. (Figure 156)

Account Files						
<div>Upload File(s)Email SelectedDelete Selected</div>						
<input type="checkbox"/>	Actions	File Name	File Size	Created By	Created Date	Description
<input type="checkbox"/>	Download Copy URL Edit Del	a23_17807277.jpg	283.88 KB	CyanGate CyanGate	7/26/2010 7:08 AM	Image

Figure 156

3. Create an apex class named ExamplePageController. In below code 1*60 is equivalent to one minute. You can set expiring time like this. Also you can configure your SOQL query based on your needs. (Figure 157)




Figure 157

```
public with sharing class ExamplePageController
{
    private Account acct;
    private String fileURL = "";

    public ExamplePageController(ApexPages.StandardController controller)
    {
        this.acct = (Account)controller.getRecord();

        List<cg__AccountFile__c> accountFiles = [Select id from cg__AccountFile__c where
        cg__AccountFile__c.cg__WIP__c = false and cg__AccountFile__c.cg__Content_Type__c =
        'image/jpg' and cg__AccountFile__c.cg__Account__c = :acct.id];

        if(accountFiles.size() > 0)
        {
            fileURL = cg.SDriveTools.getAttachmentURL(acct.id, accountFiles[0].id, (1 * 60));
        }
    }
}
```

```

else
{
    fileURL = 'http://www.cyangate.com/noimage.jpg';
}
}
public String getFileURL()
{
    return fileURL;
}
}

```

4. Create an ExamplePage apex page with below content. (Figure 158)



Figure 158

```

<apex:page standardController="Account" extensions="ExamplePageController">
    <apex:image url="{!fileURL}" />
</apex:page>

```

5. Customize your account page layout and include ExamplePage inside the layout. (Figure 159)




Figure 159

6. Now if you reload your account (which contains an image file) you'll see a screen like below. You can customize the apex class and page based on your needs. (Figure 160)



Figure 160



1. If you would like to get an old version of a file, you should add id of an old version file into fileObjectIds list.

b. `getAttachmentURLs()`

This method is used to get multiple URLs for multiple objects of an S-Drive Attachment at a time.

```
List<String> getAttachmentURLs(List<ID> parentIds, List<ID>
    fileObjectIds, Long timeValue)

List<String> getAttachmentURLs(List<ID> parentIds, List<ID>
    fileObjectIds, Long timeValue, Map<String,String> requestParameters)

List<String> getAttachmentURLs(List<ID> parentIds, List<ID>
    fileObjectIds, Long timeValue, List<Map<String,String>>
    requestParametersList)
```

Parameters:

parentIds: List of Salesforce ids of the parent objects. You can use 15-character id or 18-character id.

fileObjectIds: List of Salesforce ids of the attachment (files) objects.

timeValue: Expiration time of the links in seconds.

requestParameters: Map of request parameters and theirs values to set the parameters in the response (e.g. ('response-content-disposition', 'inline; filename=myfile.png')). For more information, visit the Amazon documentation:

<http://docs.aws.amazon.com/AmazonS3/latest/API/RESTObjectGET.html>

requestParametersList: List of request parameters map for each files.

Return Value: The method will return the list of URLs of the S-Drive attachment.



1. If you would like to get an old version of a file, you should add id of an old version file into `fileObjectIds` list.

c. `id15to18()`

This method is used to convert Salesforce Ids from 15 characters to 18 characters.

```
String id15to18(String inID)
```

Parameters:

inID: 15-character Salesforce id.

Return Value: The method will return the 18-character Salesforce id.

d. `getAccessKey()`

This method is used to get the AccessKey for setting the `AWSAccessKeyId` parameter during uploads.

```
String getAccessKey()
```

e. `getBucketName()`

This method is used to get the Bucket Name for setting the S3 `bucket` parameter during uploads.

```
String getBucketName()
```

f. `getS3Endpoint()`

This method is used to get the S3 Endpoint location of your S3 bucket for setting the S3 `endpoint` parameter during uploads.

```
String getS3Endpoint()
```

g. `deleteFiles()`

This method is used to delete files stored as attachments or under S-Drive folders.

```
List<ResultObject> deleteFiles(List<ID> wipIds, String objectId)
```

Parameters:

wipIds: List of Salesforce.com IDs of "file" records (either attachments or S-Drive Folder files).

objectId: Id of the parent object. You can use 15-character or 18-character Salesforce.com ID.

Return Value: The method will return a list of `ResultObject` (Figure 162) which holds delete status information for each file record.

Example code:

```
List<Id>wipIds = new List<Id>();

wipIds.add(ID.valueOf(uploadRequestInfos.fileWipId));

List<cg.ResultObject>resultObjects = cg.SDriveTools.deleteFiles(wipIds, objectId);
```



1. If you enable versioning and add a latest version file id into wipIds list, all versions of that file will also be deleted. You can also delete a single old version file by adding its id into wipId list.

h. initializeUpload()

This method is used to initialize attachment uploads.

```
List<UploadRequestInfo> initializeUpload
(String objectId, List<SObject> attachments, Map<String,String> policyMap)
```

Parameters:

objectId: Id of the parent object. You can use 15-character or 18-character Salesforce.com id. For example, this ID is the ID of the case record if the attachments are being uploaded for a case.

attachments: List of Salesforce SObject for uploading. The SObject will be representing the "File" object. For example, for a Case attachment, the SObject will be representing the cg__CaseFile__c record.

policyMap: Map of policy conditions and their values that represent the additional policy parameters used during upload (e.g. ('\$Content-Disposition', 'attachment; filename')). For more information, visit the Amazon documentation:

<http://docs.aws.amazon.com/AmazonS3/latest/API/RESTObjectPOST.html>

Return Value: The method will return the list of UploadRequestInfo (Figure 161), which holds information about the files that are about to be uploaded.

The following steps are executed within this method:

1. Validate the input with the following rules:
 - a. If the uploaded attachments are of type S3Object (i.e. files in S-Drive tab), the Parent__c field should be the same for all files.
 - b. If the uploaded attachments are of type S3Object (i.e. files in S-Drive tab), there should not be an existing file with the same name in the same folder.
 - c. File name and file size can't be blank

- d. File name can't include the following characters: \ / : * ? \" < > | ~
- e. File size can't be zero.
- f. File size can't be more than the Max file size defined in S-Drive Configuration.
2. Create the file record in Salesforce with work in progress state (WIP__c = true) (i.e. create S3Object, Case File, Custom Object File, etc).
3. Calculate policy, signature, file name etc. in order to be used as the POST parameters. While calculating the policy, policyMap parameter is used to generate different parameters in the policy. For html upload please reference Figure 163 and Returns a list of UploadRequestInfo (Figure 161) objects.

Example code:

```
List<SObject>attachments = new List<SObject>();

My_Example_Object_File__c attachment = new My_Example_Object_File__c ();

attachment.File_Name__c = 'Example.txt';

attachment.File_Size_in_Bytes__c ='100';

attachment.Parent__c = 'a0I80...';

String objectId = String.valueOf(attachment.Parent__c);

attachments.add(attachment);

Map<String, String> policyMap= new Map<String,String>();

policyMap.put('$Content-Disposition','attachment; filename');

List<cg.UploadRequestInfo> uploadRequestInfos=

cg.SDriveTools.initializeUpload(objectId ,attachments, policyMap );
```



- 1- It is required to set SObject's File_Name__c, File_Size_in_Bytes__c and Parent__c fields. You can optionally set other custom fields.
- 2-For S-Drive Attachments files, Parent__c refers to its parent object id. In order to set the parent folder id, use Parent_Folder_Id__c field. For S-Drive Folders files, Parent__c refers to its parent folder id and if you want to upload the file to home folder set this to **null**. Also for S-Drive Folders files, objectId must to be set to **null**.
- 3- If you put expiration, *acl*, *bucket*, *key* and *x-amz-server-side-encryption conditions* in the **policyMap**, these parameters will be ignored. Because, these are being set in the

initializeUpload () method. You do not need to put these parameters in the **policyMap**. But, you must use these parameters while uploading. For this, please reference Figure 164.

g. completeUpload()

This method is used to complete attachments upload once the files have been uploaded to Amazon S3.

```
List<ResultObject> completeUpload(List<ID> wipIds)
```

Parameters:

wipIds: List of Salesforce ids for attachment "file" records. These IDs have been returned from the initializeUpload() method for each file record.

Return Value: The method will return the list of Result Object (Figure 127), which holds filecompletion status information.



Notes

1. If you want to confirm that file(s) are successfully uploaded to Amazon, you can use the *getAmazonHeader()* method to get headers which is returned by Amazon S3 for a given file. You can also compare the *ETag* header, the MD5 checksum calculated by Amazon when the file is uploaded to S3, with the MD5 that you calculate for the file(s).
2. If you set the *success_action_status* to 201 status code during the upload process, you can also use XML document which is returned by Amazon S3 to compare *ETag* header with MD5 check sum.

Example code:

```
List<Id>wipIds = new List<Id>();

wipIds.add(ID.valueOf(uploadRequestInfos .fileWipId));

List<cg.ResultObject>resultObjects = cg.SDriveTools.completeUpload(wipIds);
```

h. cancelUpload()

This method is used to cancel attachment upload operation.

```
List<ResultObject> cancelUpload(List<ID> wipIds, String objectId)
```

Parameters:

wipIds: List of Salesforce.com IDs of attachment "file" records.

objectId: Id of the parent object. You can use 15-character or 18-character Salesforce.com ID.

Return Value: The method will return a list of ResultObject (Figure 127) which holds cancel status information for each file record.

Example code:

```
List<Id>wipIds = new List<Id>();

wipIds.add(ID.valueOf(uploadRequestInfos .fileWipId));

List<cg.ResultObject>resultObjects = cg.SDriveTools.cancelUpload(wipIds, objectId);
```

i. getAmazonHeaders()

This method is intended to be used to get response headers and its values from Amazon after an upload in order to verify the successful upload of the files.

```
Map<String,String> getAmazonHeaders(String item)
```

Parameters:

item: File location/key of uploaded file.

Return Value: The method will return the map of response headers and its values (e.g. ETag)

Example code:

```
Map<String,String> headResponse = cg.SDriveTools.getAmazonHeaders(uploadRequestInfos
.fileLocation);
```

j. initializeMultiPartUpload()

This method is used to initialize multipart upload to get uploadId. This uploadId will be used on copy part, complete, abort multi part operations.

```
String initializeMultiPartUpload(String awsLocation)
```

Parameters:

awsLocation: The name of key to be uploaded as file location. You can get this value from the fileLocation of UploadRequestInfo object.

Return Value: The method will return the uploadId as a String.

Example code:

```
String uploadId = cg.SDriveTools.initializeMultiPartUpload(uploadRequestInfos .fileLocation);
```

k. copyPartMultiPartUpload()

This method is used to upload a part by copying data from existing object as data source to get Etag value. This Etag will be used complete multi part request.

```
String copyPartMultiPartUpload(String awsLocation, String uploadId, Long
partNumber)
```

Parameters:

awsLocation: The name of key to be uploaded as file location. You can get this value from the `fileLocation` of `UploadRequestInfo` object.

uploadId: The upload Id that you get this Id from the `initializeMultipartUpload` request as a return value.

partNumber: The order of uploaded part.

Return Value: The method will return the Etag as a String.

Example code:

```
List<String> eTagList = new List <String>();
for(Integer i = 1; i<= multiPartsSize; i++)
{
    String eTag = cg.SDriveTools.copyPartMultiPartUpload(uploadRequestInfos .fileLocation,
uploadId, i);
    eTagList.add(eTag);
}
```

**Notes**

While uploading multi parts, You must give the *key* parameters with below format. It must be start with zero.

"key" : *fileLocation* + '.' +0 (partNumber = 1)
to

"key" : *fileLocation* + '.' + multiPartsSize-1 (partNumber = multiPartsSize)

l. completeMultiPartUpload()

This method is used to complete a multipart.

```
String completeMultiPartUpload(String awsLocation, String uploadId,
List<String> eTagList)
```

Parameters:

awsLocation: The name of key to be uploaded as file location. You can get this value from the `fileLocation` of `UploadRequestInfo` object.

uploadId: The upload Id that you get this Id from the `initializeMultiPartUpload` request as a return value.

eTagList: List of Etags. You can get Etags by `copyPartMultiPart` requests.

Return Value: The method will return the ETag as a String.

Example code:

```
String ETag = cg.SDriveTools.completeMultiPartUpload(uploadRequestInfos .fileLocation,
uploadId, eTagList);
```

m. deleteMultiParts()

This method is used to delete multi parts.

```
void deleteMultiParts(String awsMultiPartsLocationList)
```

Parameters:

awsMultiPartsLocationList: List of parts keys as the names of file locations. It must contain up to 1000 keys because of limit.

Example code:

```
List<String> awsMultiPartsLocationList = new List <String>();
for(Integer i = 0; i<= multiPartsSize-1; i++)
{
    awsMultiPartsLocationList.add( fileLocation + '.' +i );
}

cg.SDriveTools.deleteMultiParts(awsMultiPartsLocationList);
```

n. abortMultiPartUpload()

This method is used to abort a multipart upload.

```
void abortMultiPartUpload(String awsLocation, String uploadId)
```

Parameters:

awsLocation: The name of key to be uploaded as file location. You can get this value from the `fileLocation` of `UploadRequestInfo` object.

uploadId: The upload Id that you get this Id from the `initializeMultipartUpload` request as a return value.

Example code:

```
cg.SDriveTools.abortMultiPartUpload(uploadRequestInfos.fileLocation, uploadId);
```

o. inheritSharings()

This method is used to inherit the sharings from parent folder to the file.

```
void inheritSharings(List<String> wipIdList, String currentFolderId)
```

Parameters:

wipIdList: List of Salesforce.com IDs of "file" records(either attachments or S-Drive Folder files) as a String.

currentFolderId: Id of the parent folder of the file for sharing.

Example code:

```
List<String> wipIdList = new List<String>();  
wipIdList.add(uploadRequestInfos.fileWipId);  
cg.SDriveTools.inheritSharings(wipIdList, currentFolderId);
```

UploadRequestInfo

```
String fileName{get; set;}
String fileLocation{get; set;}
String fileSize{get; set;}
String fileType{get; set;}
String wipFileId{get; set;}
String signature{get; set;}
String policy{get; set;}
```

Figure 161

ResultObject

```
String status {get;set;} // success – fail
String errorMessage {get;set;} // null if status is success
String wipFileId {get;set;} // to see which file failed
```

Figure 162

p. Uploading Files to S-Drive (Amazon S3)

You can use SDriveTools API calls for uploading the S-Drive Attachments/Folders Files to Amazon. For this, you will need to use below methods:

- *initializeUpload()*
- *completeUpload()*
- *cancelUpload()*
- *getAccessKey()*
- *getBucketName()*
- *getS3Endpoint()*

Before upload, you must first initialize attachment upload. Initializing the attachment upload creates work in progress (WIP) file(s) objects (S3Object, Case File, My Example Object File, etc.) and calculates the required file information for the upload process. For initializing attachment upload, use *initializeUpload()* method.

The next step is uploading the file(s) to Amazon using html, java etc. upload. When you upload file(s) to Amazon, You should use the information which has been returned by *initializeUpload()* as well as the values retrieved from *getAccessKey()*, *getBucketName()* and *getS3Endpoint()* methods.

If upload is successful, you must complete attachment upload. Complete attachment upload means updating WIP file records created during initialize upload call and set the *WIP__c* field value as *false*. For completing attachment upload, use *completeUpload()* method.

If upload fails, you must cancel upload. Canceling upload means deleting the WIP file records. For canceling attachment upload, use *cancelUpload()* method.

You can also upload the big files using multipart uploads. For this, you will need below methods.

- *initializeMultiPartUpload()*
- *copyPartMultiPartUpload()*
- *completeMultiPartUpload()*
- *deleteMultiParts()*
- *abortMultiPartUpload()*

Html Policy
<pre>{ "expiration": "2014-03-12T12:47:13.893Z", "conditions": [{"acl": "private" }, {"bucket": "cg-81..." }, ["starts-with", "\$Content-Disposition", "attachment; filename"], ["starts-with", "\$key", "a038..."], {"x-amz-server-side-encryption": "AES256"},] }</pre>

Figure 163

Exceptions and Reasons for Upload Operations

- [SDriveException]** "Parent Folder IDs must be the same for all file records that are being uploaded".

[Reason] If Parent__c values which are passed in with the SObjects are not same for all S3Object.

[Solution] Give the parent folder ids the same for all S3Objects.
- [SDriveException]** "A file with the same name exists in the target folder (fileName) ".

[Reason] This exception occurs if a file with the same name exists in the same folder for S3Objects. The same file name condition holds when the file is not a WIP (WIP__c =false) file or the file is a WIP file (WIP__c =true) with the same file name but it has been uploaded by another user less than 12 hours ago.

[Solution] Upload files with different file names or delete the previously existing files before the upload.

3. **[SDriveException]** *"Error occurred while checking the files to upload! File Name, File Size cannot be blank (fileName)".*
[Reason] If the file name or file size fields that have been passed in with the SObject are null or empty.
[Solution] File name and file size is required for upload. Thus, pass non-blank values in with the SObject.
4. **[SDriveException]** *"Name cannot start with a space or a dot and cannot contain any of the following characters: \ / : * ? \ " < > | ~ (fileName)".*
[Reason] If the file name is invalid. Invalid name means, file name starts with a space or a dot and contains any of the following characters: \ / : * ? \ " < > | ~
[Solution] Do not upload a file with the name starting with space or a dot and contain any of the following characters: \ / : * ? \ " < > | ~
5. **[SDriveException]** *"You cannot upload a zero-length file (fileName)".*
[Reason] If the file size is 0.
[Solution] Upload files that are greater in size than zero.
6. **[SDriveException]** *"Files greater than (maxFileSize) cannot be uploaded. Please contact your system administrator for the file size limits! (fileName)".*
[Reason] File being uploaded has a size greater than the maximum file size limit (MAX_FILE_SIZE configuration in S-Drive Configuration page).
[Solution] Do not upload files whose size greater than MAX_FILE_SIZE. Or Increase the MAX_FILE_SIZE configuration in S-Drive Configuration page.
7. **[SDriveException]** *"Invalid parent id specified. Check your function parameters!".*
[Reason] If object (parent) id, which is passed as a parameter, is not a Salesforce.com 15 or 18 characters long ID.
[Solution] Pass 15-character or 18-character Salesforce.com ID as objectId parameter.

Error Messages of ResultObject and Reasons

1. **[errorMessage]** *"Wip Id is null! "*.
[Reason] If wipId in the wipIds list parameter is null.
[Solution] Do not pass null Salesforce.com IDs of file objects.
2. **[errorMessage]** *"No such wip file with provided id: (wipId) "*.
[Reason] If wipId in wipIds list is not available.
[Solution] Pass correct and available Salesforce.com ids of files objects.

3. **[errorMessage]** *"There is no wip files".*
[Reason] If all of wiplds in wiplds list is null or wiplds' size is 0.
[Solution] Pass wiplds with length greater than 0 and non-null string values.
4. **[errorMessage]** *"Insufficient Privileges. You do not have not access to update operation".*
[Reason] If Object-level security for update access is not allowed.
[Solution] Make sure that update access is allowed for your profile.

Html upload example:

```
<form>
```

```
File : <input type="file" name="file" id="file" />
```

```
      <input type="button" value="Upload" onclick="htmlUpload();" />
```

```
</form>
```

```
<script type="text/javascript">
```

```
var uploadFile ;
```

```
document.getElementById('file').addEventListener('change', handleFileSelect,false);
```

```
function handleFileSelect(evt)
```

```
{
```

```
    var fileName = evt.currentTarget.files[0].name ;
```

```
    var fileSize = evt.currentTarget.files[0].size;
```

```

        uploadFile = evt.currentTarget.files[0];
        //Call initializeUpload() method
    }

function htmlUpload()
{
    var fd = new FormData();
    fd.append('key', '{!uploadRequestInfos.fileLocation}');
    fd.append('AWSAccessKeyId', '{!accessKey}');
    fd.append('acl', 'private');
    fd.append('policy', '{!uploadRequestInfos.policy}');
    fd.append('signature', '{!uploadRequestInfos.signature}');
    fd.append('x-amz-server-side-encryption', 'AES256');
    fd.append('Content-Disposition', 'attachment; filename=\"'+ '{!uploadRequestInfos.fileName}'
+ '\"');
    fd.append("file",uploadFile);

    var xhr = new XMLHttpRequest();
    xhr.addEventListener("load", htmlUploadComplete, false);
    xhr.addEventListener("error", htmlUploadFailed, false);
    xhr.open('POST', 'https://s3.amazonaws.com/'+ '{!bucketName}', true);

    xhr.send(fd);
}

function htmlUploadComplete(evt)
{
    //Call completeUpload() method
}

function htmlUploadFailed(evt)
{
    //Call cancelUpload() method
}
</script>

```

You can see the appropriate values for the request parameters below (Figure 164).

Form Field	Value
<i>acl</i>	'private'
<i>AWSSecretAccessKey</i>	<i>SDriveTools.getAccessKey()</i>
<i>bucket</i>	<i>SDriveTools.getBucketName()</i>
<i>Content-Disposition</i>	'attachment; filename=\"'+ <i>uploadRequestInfos.fileName</i> +'\"'
<i>Content-Type</i>	<i>uploadRequestInfos.fileType</i>
<i>key</i>	<i>uploadRequestInfos.fileLocation</i>
<i>policy</i>	<i>uploadRequestInfos.policy</i>
<i>signature</i>	<i>uploadRequestInfos.signature</i>
<i>x-amz-server-side-encryption</i>	'AES256'
<i>success_action_status</i>	201

Figure 164

V. S-Drive Support

You can contact S-Drive Support team for any questions or problems that you couldn't solve using S-Drive documents:

1. Open a Ticket at Support Site: sdriveapp.com/support
2. Email: sdrive@sdriveapp.com

You can find up-to-date product information, documents, tutorial videos, tools in our web page: www.sdriveapp.com

